

## **LEGACY+ MIXER ACCESSORIES**

Agitators

Agita	ator	"B" Flat Beater	"D" Wire Whip	"ED" Dough Arm	"E" Dough Hook	
Material		Aluminum	Stainless Steel	Aluminum	Aluminum	
Applicatio	on	Multi-purpose agitator	Maximum blending of air into light products	Mixing, folding, stretching dough	Mixing, folding, stretching dough	AIN
Food Proc	ducts	Mashing potatoes, mixing cakes, icings	Whipping cream, beating egg whites	Breads, pizza dough	Lighter breads, pizza dough	
Speed		Use 1st speed for starting, medium speed for finishing	3rd or 4th speed	Use 1st or 2nd speed for 2 and 3 speed mixers; 1st, 2nd, or 3rd speed for 4 speed mixers	Use 1st or 2nd speed for 2 and 3 speed mixers; 1st, 2nd, or 3rd speed for 4 speed mixers	"B" Flat Beater
Mixer	Bowl Size		Pa	rt		H
HL120	12 QT	BBEATER-HL12 00-874828	DWHIP-HL12 00-873360	EDDOUGH-HL12 00-873343	_	C LE
HL200	12 QT	BBEATER-HL12 00-874828	DWHIP-HL12 00-873360	EDDOUGH-HL12 00-873343	EDOUGH-HL20 00-873335	
IIL200	20 QT	BBEATER-HL20 00-874790	DWHIP-HL20 00-874792	EDDOUGH-HL20 00-874791	_	
HL300	20 QT	BBEATER-HL4320 00-916582	DWHIP-HL4320 00-916598	EDDOUGH-HL4320 00-916827	-	
HLSUU	30 QT	BBEATER-HL4030 00-916372	DWHIP-HL4030 00-916421	EDDOUGH-HL30AL 00-916618-1	-	"ED" Dough Hook
	20 QT	BBEATER-HL4320 00-916582	DWHIP-HL4320 00-916598	EDDOUGH-HL4320 00-916827	_	F
HL400	30 QT	BBEATER-HL4030 00-916372	DWHIP-HL4030 00-916421	EDDOUGH-HL30AL 00-916618-1	-	
	40 QT	BBEATER-HL4030 00-916372	DWHIP-HL4030 00-916421	EDDOUGH-HL40SS 00-916618-2	-	
HL600 &	40 QT	BBEATER-HL640 00-874248	DWHIP-HL640 00-874249	EDDOUGH-HL640 00-874292	-	
HL662	60 QT	BBEATER-HL60 00-874172	DWHIP-HL60 00-874190	EDDOUGH-HL60 00-874285	EDOUGH-HL60 00-874284	
	40 QT	BBEATER-HL1484 916313	DWHIP-HL1484 916319	EDDOUGH-HL1484 916316	-	"D" Wire Whip
HL800	60 QT	BBEATER-HL1486 916257	DWHIP-HL1486 916265	EDDOUGH-HL1486 916260	-	Tar
	80 QT	BBEATER-HL80 00-874654	DWHIP-HL80 00-875866	EDDOUGH-HL80 00-874647	-	
	40 QT	BBEATER-HL1484 916313	DWHIP-HL1484 916319	EDDOUGH-HL1484 916316	-	
HL1400	60 QT	BBEATER-HL1486 916257	DWHIP-HL1486 916265	EDDOUGH-HL1486 916260	-	
111400	80 QT	BBEATER-HL80 00-874654	DWHIP-HL80 00-875866	EDDOUGH-HL80 00-874647	-	
	140 QT	BBEATER-HL140 00-874409	DWHIP-HL140 00-875863	EDDOUGH-HL140 00-875847	-	"E" Dough Hook

REPARATION

Approved by\_

Date\_\_\_\_\_ Approved by

Date\_\_\_

Printed in U.S.A.



#### LEGACY+ MIXER ACCESSORIES Agitators

Agita	ator	"C" Wing Whip	"I" Heavy Duty Wire Whip	"P" Pastry Knife	Bowl Scraper	
Material		Tin-dipped	Stainless steel wire, tin-dipped hub	Tin-dipped	Stainless steel arm, urethane elastomer scraper	
Applicatio	on	Heavy whipping	Heavy whipping	Cutting action for combining ingredients	Scraping the sides of the bowl during operation with "B" beater or wire whips	
Food Products		Potatoes, butter, mayonnaise, light icing	Sponge cakes, light marshmallow	Pastry dough, pie dough	Batters and doughs	
Speed		1st or 2nd speed	3rd or 4th speed	Low speeds for stirring, medium speeds for cutting	1st or 2nd speed	
Mixer	Bowl Size		Pa	rt		
HL120	12 QT	CWHIP-HL12 00-875893	-	PPASTRY-HL12 00-873370	SCRAPER-HL12 00-873373	
HL200	12 QT	CWHIP-HL12 00-875893	_	PPASTRY-HL12 00-873370	SCRAPER-HL12 00-873373	
HL200	20 QT	CWHIP-HL20 00-873331	-	PPASTRY-HL20 00-873294	SCRAPER-HL20 00-874836	
HL300	20 QT	-	-	-	-	
HL300	30 QT	CWHIP-HL4030 00-916573	IWIRE-HL4030 00-916520	PPASTRY-HL4030 00-916481	SCRAPER-HL30 00-916838	
	20 QT	-	_	-	-	
HL400	30 QT	CWHIP-HL4030 00-916573	IWIRE-HL4030 00-916520	PPASTRY-HL4030 00-916481	SCRAPER-HL30 00-916838	
	40 QT	CWHIP-HL4030 00-916573	IWIRE-HL4030 00-916520	PPASTRY-HL4030 00-916481	SCRAPER-HL40 00-916839	
HL600 &	40 QT	-	IWIRE-HL640 00-874250	-	SCRAPER-HL640 00-874268 SCRAPER-HL64AP* 00-939071	
HL662	60 QT	CWHIP-HL60 00-874278	IWIRE-HL60 00-874271	PPASTRY-HL60 00-874286	SCRAPER-HL60 00-874267 SCRAPER-HL60AP* 00-939070	
	40 QT	_	IWIRE-HL1484 916321	-	-	
HL800	60 QT	-	IWIRE-HL1486 916268	-	SCRAPER-HL60 00-874267	
	80 QT	CWHIP-HL80 00-875946	IWIRE-HL80 00-875931	PPASTRY-HL80 00-875914	SCRAPER-HL80 00-874700	
	40 QT	-	IWIRE-HL1484 916321	-	-	
HI1400	60 QT	-	IWIRE-HL1486 916268	-	SCRAPER-HL60 00-874267	
HL1400	80 QT	CWHIP-HL80 00-875946	IWIRE-HL80 00-875931	PPASTRY-HL80 00-875914	SCRAPER-HL80 00-874700	
	140 QT	CWHIP-HL140 00-875938	IWIRE-HL140 00-875929	PPASTRY-HL140 00-875906	SCRAPER-HL140 00-874699	



"C" Wing Whip



**Bowl Scraper** 



"P" Pastry Knife




"I" Heavy Duty Wire Whip


\*Only use AP scrapers with aluminum planetary mixers. These are 60-qt. mixers with serial number 311681285 and higher.



### LEGACY+ MIXER ACCESSORIES Bowls









	Bowl	Weight	Bowl Size	Mixer		Dim	ensions (inc	hes)	
	BOWL	(lbs.)	BOWL SIZE	Mixer	A	В	С	D	E
	BOWL-HL12	8.3	12 QT	HL120	15.12	14.25	13.26	10.75	11.50
RD	BOWL-HL20P	9	20 QT	HL200	16.38	14.25	14.24	12.56	11.50
STANDARD	BOWL-HL30	18	30 QT	HL300	19.42	16.75	16.03	14.16	13.44
ST	BOWL-HL40	20	40 QT	HL400	19.42	16.75	16.03	14.16	16.57
	BOWL-HL60	42	60 QT	HL600, HL662	23.37	22.00	20.05	17.94	16.81
z	BOWL-HL12	8.3	12 QT	HL200	15.12	14.25	13.26	10.75	11.50
MOC	BOWL-HL4320	16	20 QT	HL300, HL400	17.85	16.75	15.21	12.52	12.28
STEPDOWN	BOWL-HL30	18	30 QT	HL400	19.42	16.75	16.03	14.16	13.44
S	BOWL-HL640	36	40 QT	HL600, HL662	23.50	21.99	18.94	15.88	15.63







	Bowl	Weight	Bowl Size Mixer		Dimensions (inches)					
	BOWL	(lbs.)	DOWL SIZE	Mixer	A	В	С	D	E	F
STANDARD	BOWL-HL80	55	80 QT	HL800	26.61	27.60	23.44	19.94	29.00	18.38
STAN	BOWL-HL140	75	140 QT	HL1400	29.43	27.54	24.76	22.50	29.00	25.1
N	BOWL-HL1484	42	40 QT	HL800, HL1400	21.05	27.50	21.38	15.88	29.00	15.63
STEPDOWN	BOWL-HL1486	48	60 QT	HL800, HL1400	23.39	27.50	22.41	17.94	29.25	16.81
ST	BOWL-HL80	55	80 QT	HL1400	26.61	27.60	23.44	19.94	29.00	18.38

All bowls are made of 304 stainless steel.

Stepdown bowls are smaller bowls used on larger machines. Smaller batches of product may not mix properly if mixed in a bowl that is too large, so using a stepdown bowl increases the versatility of the mixer and the types of product able to be mixed.



<b>LEGACY+</b>	<b>MIXERS</b>
	Accessories















Name	Application	Mixer	Model	
		HL120	SPLASH-LEX012	
		HL200	SPLASH-LEX020	
		HL300	SPLASH-LEX030	
Splash Cover	Control splash of light ingredients during mixing.	HL400	SPLASH-LEX040	
	5 5	HL600, HL662	SPLASH-LEX060	
		HL800	SPLASH-LEX080	
		HL1400	SPLASH-LEX140	
Tray Support	Hold trays beneath the VS9	HL120	TRAY-HL2012	
Attachment	attachment.	HL200		
		HL600, HL662	EXTEND-SST60G	
		HL800	EXTEND-SST60G – use with 60 qt. bowls	
Bowl Extension	Provides higher sidewalls for the bowl to prevent throw-out of certain ingredients. Does not		EXTEND-SST80G – use with 80 qt. bowls	
Ring	increase bowl capacity.	HL1400	EXTEND-SST60G – use with 60 qt. bowls	
			EXTEND-SST80G – use with 80 qt. bowls	
		HL300	TRUCK-HL4030	
	Self-centering, with rubber-tired	HL400	TRUCK-HL1486 – Legs add 9" height to	
Bowl Truck	wheels and guide handle for easy portability when moving bowls for	HL600, HL662		
	floor model mixers. Includes leg extensions.	HL800	HL600/HL662	
		HL1400	Legs add 2" height to HL800/HL1400	
Bowl Truck	Inserts easily into the standard bowl truck to adapt it for use with	HL800	TRKADPT-HL8640 – use with 60 and 40 qt. bowls	
Adapter	smaller bowl sizes.	HL1400	TRKADPT-HL1464 – use with 60 and 40 qt. bowls	
		HL120	CHUTE-HL12	
		HL200	CHUTE-HL20	
		HL300	CHUTE-HL4030	
Ingredient Chute	Easily and safely add ingredients to the bowl during mixing.	HL400		
		HL600, HL662	CHUTE-HL	
		HL800	CHUTE-LMV	
		HL1400		
Mixer Table	Table for countertop mixers with pegs to store agitators.	HL120	TABLEHW-HL2012	
	Dimensions: 27" W x 32" D x 26.75" H	HL200		





# VS9 VEGETABLE SLICER

Attachment for food processing that fits in the #12 attachment hub of a Hobart Mixer or Food Cutter. Slicer, shredder, and grater plates can be used with the VS9 for various food processing applications.

Plate	Application	Food Products	Recommendations
VS9PLT-ASP12	Slicing - adjustable settings from %" to wafer thin slices	Vegetables and cheeses	All speeds can be used to slice
VS9PLT-GRATER	Grating	Hard natural cheeses, hard vegetables, spices, bread crumbs	1st or 2nd speed for 3 speed mixers 1st, 2nd, or 3rd speed for 4 speed mixers
VS9PLT-3/32SH	Fine shredding	Cheeses, quick cooking vegetables	1st or 2nd speed for 3 speed mixers 1st, 2nd, or 3rd speed for 4 speed mixers
VS9PLT-3/16SH	Medium shredding	Cheeses, salad vegetables, quick cooking vegetables	1st or 2nd speed for 3 speed mixers 1st, 2nd, or 3rd speed for 4 speed mixers
VS9PLT-5/16SH	Medium shredding	Cheeses, salad vegetables, quick cooking vegetables	1st or 2nd speed for 3 speed mixers 1st, 2nd, or 3rd speed for 4 speed mixers
VS9PLT-1/2SH	Course shredding	Cole slaw, soup stock, hashbrowns	1st or 2nd speed for 3 speed mixers 1st, 2nd, or 3rd speed for 4 speed mixers
VS9HOLD-SHG12	Re	Securely mounts grater and sequired for use with above grater	



#### **LEGACY+ MIXER Hub Attachments**

### **#12 MEAT CHOPPER ATTACHMENT**

Attachment for food processing that fits in the #12 attachment hub of a Hobart Mixer or Food Cutter. Can be used to chop and grind meats without crushing or mashing the product. 3rd speed is recommended for 3 speed mixers, and 2nd speed for 4 speed mixers.





12TIN-C/EPAN

12 C/E-5PLT

Chopping Ends	Model
#12 tinned chopping end with stainless steel round pan, stomper, knife, and 1/8" Stay Sharp plate	12TIN-C/EPAN
#12 tinned chopping end with knife, 1/8", 3/16", 1/4", 3/8", and 1/2" Stay Sharp plates	12 CE-5PLT

Knives & Plates	Model				
#12 Stay Sharp Knife	12KNF-STA/S	ы			
#12 1/8" Stay Sharp Knife	12PLT-1/8S				(0000)
#12 3/16" Stay Sharp Knife	12PLT-3/16S	12KNF-STA/SH	12PLT-1/8S	12PLT-3/16S	12PLT-1/4S
#12 1/4" Stay Sharp Knife	12PLT-1/4S		•		• -
#12 3/8" Stay Sharp Knife	12PLT-3/8S			00	00
#12 1/2" Stay Sharp Knife	12PLT-1/2S	-00000			
#12 5/8" Stay Sharp Knife	12PLT-5/8S				
#12 11/16" Stay Sharp Knife	12PLT-11/165		$\langle 000 \rangle$	$\langle OO \rangle$	
		12PLT-3/8S	12PLT-1/2S	12PLT-5/8S	12PLT-11/16S
		12PLT-3/8S	12PLT-1/2S	12PLT-5/8S	12PLT-11/16S
12/22	PN-SSTRND	12PLT-3/8S	12PLT-1/2S 12STF-		12PLT-11/16S
12/22 Feed Pan	PN-SSTRND	12PLT-3/8S	12STF-		<u></u>
-	oan		12STF-	HOG Stuffers	12STF-SHEEP

As continued product improvement is a policy of Hobart, specifications are subject to change without notice.