



## LEGACY+ MIXER ACCESSORIES

### Agitators

| Agitator      |           | "B" Flat Beater                                        | "D" Wire Whip                               | "ED" Dough Arm                                                                           | "E" Dough Hook                                                                           |
|---------------|-----------|--------------------------------------------------------|---------------------------------------------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Material      |           | Aluminum                                               | Stainless Steel                             | Aluminum                                                                                 | Aluminum                                                                                 |
| Application   |           | Multi-purpose agitator                                 | Maximum blending of air into light products | Mixing, folding, stretching dough                                                        | Mixing, folding, stretching dough                                                        |
| Food Products |           | Mashing potatoes, mixing cakes, icings                 | Whipping cream, beating egg whites          | Breads, pizza dough                                                                      | Lighter breads, pizza dough                                                              |
| Speed         |           | Use 1st speed for starting, medium speed for finishing | 3rd or 4th speed                            | Use 1st or 2nd speed for 2 and 3 speed mixers; 1st, 2nd, or 3rd speed for 4 speed mixers | Use 1st or 2nd speed for 2 and 3 speed mixers; 1st, 2nd, or 3rd speed for 4 speed mixers |
| Mixer         | Bowl Size | Part                                                   |                                             |                                                                                          |                                                                                          |
| HL120         | 12 QT     | BBEATER-HL12<br>00-874828                              | DWHIP-HL12<br>00-873360                     | EDDOUGH-HL12<br>00-873343                                                                | —                                                                                        |
| HL200         | 12 QT     | BBEATER-HL12<br>00-874828                              | DWHIP-HL12<br>00-873360                     | EDDOUGH-HL12<br>00-873343                                                                | EDOUGH-HL20<br>00-873335                                                                 |
|               | 20 QT     | BBEATER-HL20<br>00-874790                              | DWHIP-HL20<br>00-874792                     | EDDOUGH-HL20<br>00-874791                                                                | —                                                                                        |
| HL300         | 20 QT     | BBEATER-HL4320<br>00-916582                            | DWHIP-HL4320<br>00-916598                   | EDDOUGH-HL4320<br>00-916827                                                              | —                                                                                        |
|               | 30 QT     | BBEATER-HL4030<br>00-916372                            | DWHIP-HL4030<br>00-916421                   | EDDOUGH-HL30AL<br>00-916618-1                                                            | —                                                                                        |
| HL400         | 20 QT     | BBEATER-HL4320<br>00-916582                            | DWHIP-HL4320<br>00-916598                   | EDDOUGH-HL4320<br>00-916827                                                              | —                                                                                        |
|               | 30 QT     | BBEATER-HL4030<br>00-916372                            | DWHIP-HL4030<br>00-916421                   | EDDOUGH-HL30AL<br>00-916618-1                                                            | —                                                                                        |
|               | 40 QT     | BBEATER-HL4030<br>00-916372                            | DWHIP-HL4030<br>00-916421                   | EDDOUGH-HL40SS<br>00-916618-2                                                            | —                                                                                        |
| HL600 & HL662 | 40 QT     | BBEATER-HL640<br>00-874248                             | DWHIP-HL640<br>00-874249                    | EDDOUGH-HL640<br>00-874292                                                               | —                                                                                        |
|               | 60 QT     | BBEATER-HL60<br>00-874172                              | DWHIP-HL60<br>00-874190                     | EDDOUGH-HL60<br>00-874285                                                                | EDOUGH-HL60<br>00-874284                                                                 |
| HL800         | 40 QT     | BBEATER-HL1484<br>916313                               | DWHIP-HL1484<br>916319                      | EDDOUGH-HL1484<br>916316                                                                 | —                                                                                        |
|               | 60 QT     | BBEATER-HL1486<br>916257                               | DWHIP-HL1486<br>916265                      | EDDOUGH-HL1486<br>916260                                                                 | —                                                                                        |
|               | 80 QT     | BBEATER-HL80<br>00-874654                              | DWHIP-HL80<br>00-875866                     | EDDOUGH-HL80<br>00-874647                                                                | —                                                                                        |
| HL1400        | 40 QT     | BBEATER-HL1484<br>916313                               | DWHIP-HL1484<br>916319                      | EDDOUGH-HL1484<br>916316                                                                 | —                                                                                        |
|               | 60 QT     | BBEATER-HL1486<br>916257                               | DWHIP-HL1486<br>916265                      | EDDOUGH-HL1486<br>916260                                                                 | —                                                                                        |
|               | 80 QT     | BBEATER-HL80<br>00-874654                              | DWHIP-HL80<br>00-875866                     | EDDOUGH-HL80<br>00-874647                                                                | —                                                                                        |
|               | 140 QT    | BBEATER-HL140<br>00-874409                             | DWHIP-HL140<br>00-875863                    | EDDOUGH-HL140<br>00-875847                                                               | —                                                                                        |



"B" Flat Beater



"ED" Dough Hook



"D" Wire Whip



"E" Dough Hook

## LEGACY+ MIXER ACCESSORIES

Approved by \_\_\_\_\_ Date \_\_\_\_\_ Approved by \_\_\_\_\_ Date \_\_\_\_\_

| Agitator      |           | "C" Wing Whip                             | "I" Heavy Duty Wire Whip             | "P" Pastry Knife                                   | Bowl Scraper                                                                  |
|---------------|-----------|-------------------------------------------|--------------------------------------|----------------------------------------------------|-------------------------------------------------------------------------------|
| Material      |           | Tin-dipped                                | Stainless steel wire, tin-dipped hub | Tin-dipped                                         | Stainless steel arm, urethane elastomer scraper                               |
| Application   |           | Heavy whipping                            | Heavy whipping                       | Cutting action for combining ingredients           | Scraping the sides of the bowl during operation with "B" beater or wire whips |
| Food Products |           | Potatoes, butter, mayonnaise, light icing | Sponge cakes, light marshmallow      | Pastry dough, pie dough                            | Batters and doughs                                                            |
| Speed         |           | 1st or 2nd speed                          | 3rd or 4th speed                     | Low speeds for stirring, medium speeds for cutting | 1st or 2nd speed                                                              |
| Mixer         | Bowl Size | Part                                      |                                      |                                                    |                                                                               |
| HL120         | 12 QT     | CWHIP-HL12<br>00-875893                   | –                                    | PPASTRY-HL12<br>00-873370                          | SCRAPER-HL12<br>00-873373                                                     |
| HL200         | 12 QT     | CWHIP-HL12<br>00-875893                   | –                                    | PPASTRY-HL12<br>00-873370                          | SCRAPER-HL12<br>00-873373                                                     |
|               | 20 QT     | CWHIP-HL20<br>00-873331                   | –                                    | PPASTRY-HL20<br>00-873294                          | SCRAPER-HL20<br>00-874836                                                     |
| HL300         | 20 QT     | –                                         | –                                    | –                                                  | –                                                                             |
|               | 30 QT     | CWHIP-HL4030<br>00-916573                 | IWIRE-HL4030<br>00-916520            | PPASTRY-HL4030<br>00-916481                        | SCRAPER-HL30<br>00-916838                                                     |
| HL400         | 20 QT     | –                                         | –                                    | –                                                  | –                                                                             |
|               | 30 QT     | CWHIP-HL4030<br>00-916573                 | IWIRE-HL4030<br>00-916520            | PPASTRY-HL4030<br>00-916481                        | SCRAPER-HL30<br>00-916838                                                     |
|               | 40 QT     | CWHIP-HL4030<br>00-916573                 | IWIRE-HL4030<br>00-916520            | PPASTRY-HL4030<br>00-916481                        | SCRAPER-HL40<br>00-916839                                                     |
| HL600 & HL662 | 40 QT     | –                                         | IWIRE-HL640<br>00-874250             | –                                                  | SCRAPER-HL640<br>00-874268<br>SCRAPER-HL64AP*<br>00-939071                    |
|               | 60 QT     | CWHIP-HL60<br>00-874278                   | IWIRE-HL60<br>00-874271              | PPASTRY-HL60<br>00-874286                          | SCRAPER-HL60<br>00-874267<br>SCRAPER-HL60AP*<br>00-939070                     |
| HL800         | 40 QT     | –                                         | IWIRE-HL1484<br>916321               | –                                                  | –                                                                             |
|               | 60 QT     | –                                         | IWIRE-HL1486<br>916268               | –                                                  | SCRAPER-HL60<br>00-874267                                                     |
|               | 80 QT     | CWHIP-HL80<br>00-875946                   | IWIRE-HL80<br>00-875931              | PPASTRY-HL80<br>00-875914                          | SCRAPER-HL80<br>00-874700                                                     |
| HL1400        | 40 QT     | –                                         | IWIRE-HL1484<br>916321               | –                                                  | –                                                                             |
|               | 60 QT     | –                                         | IWIRE-HL1486<br>916268               | –                                                  | SCRAPER-HL60<br>00-874267                                                     |
|               | 80 QT     | CWHIP-HL80<br>00-875946                   | IWIRE-HL80<br>00-875931              | PPASTRY-HL80<br>00-875914                          | SCRAPER-HL80<br>00-874700                                                     |
|               | 140 QT    | CWHIP-HL140<br>00-875938                  | IWIRE-HL140<br>00-875929             | PPASTRY-HL140<br>00-875906                         | SCRAPER-HL140<br>00-874699                                                    |



"C" Wing Whip



Bowl Scraper



"P" Pastry Knife






"I" Heavy Duty Wire Whip

\*Only use AP scrapers with aluminum planetary mixers. These are 60-qt. mixers with **serial number 311681285 and higher**.






## LEGACY+ MIXER ACCESSORIES

### Bowls



|          | Bowl        | Weight (lbs.) | Bowl Size | Mixer        | Dimensions (inches) |       |       |       |       |
|----------|-------------|---------------|-----------|--------------|---------------------|-------|-------|-------|-------|
|          |             |               |           |              | A                   | B     | C     | D     | E     |
| STANDARD | BOWL-HL12   | 8.3           | 12 QT     | HL120        | 15.12               | 14.25 | 13.26 | 10.75 | 11.50 |
|          | BOWL-HL20P  | 9             | 20 QT     | HL200        | 16.38               | 14.25 | 14.24 | 12.56 | 11.50 |
|          | BOWL-HL30   | 18            | 30 QT     | HL300        | 19.42               | 16.75 | 16.03 | 14.16 | 13.44 |
|          | BOWL-HL40   | 20            | 40 QT     | HL400        | 19.42               | 16.75 | 16.03 | 14.16 | 16.57 |
|          | BOWL-HL60   | 42            | 60 QT     | HL600, HL662 | 23.37               | 22.00 | 20.05 | 17.94 | 16.81 |
| STEPDOWN | BOWL-HL12   | 8.3           | 12 QT     | HL200        | 15.12               | 14.25 | 13.26 | 10.75 | 11.50 |
|          | BOWL-HL4320 | 16            | 20 QT     | HL300, HL400 | 17.85               | 16.75 | 15.21 | 12.52 | 12.28 |
|          | BOWL-HL30   | 18            | 30 QT     | HL400        | 19.42               | 16.75 | 16.03 | 14.16 | 13.44 |
|          | BOWL-HL640  | 36            | 40 QT     | HL600, HL662 | 23.50               | 21.99 | 18.94 | 15.88 | 15.63 |



|          | Bowl        | Weight (lbs.) | Bowl Size | Mixer         | Dimensions (inches) |       |       |       |       |       |
|----------|-------------|---------------|-----------|---------------|---------------------|-------|-------|-------|-------|-------|
|          |             |               |           |               | A                   | B     | C     | D     | E     | F     |
| STANDARD | BOWL-HL80   | 55            | 80 QT     | HL800         | 26.61               | 27.50 | 29.00 | 19.94 | 23.44 | 18.38 |
|          | BOWL-HL140  | 75            | 140 QT    | HL1400        | 29.43               | 27.54 | 29.00 | 22.50 | 24.76 | 25.1  |
| STEPDOWN | BOWL-HL1484 | 42            | 40 QT     | HL800, HL1400 | 21.05               | 27.50 | 29.00 | 15.88 | 21.38 | 15.63 |
|          | BOWL-HL1486 | 48            | 60 QT     | HL800, HL1400 | 23.39               | 27.50 | 29.25 | 17.94 | 22.41 | 16.81 |
|          | BOWL-HL80   | 55            | 80 QT     | HL1400        | 26.61               | 27.50 | 29.00 | 19.94 | 23.44 | 18.38 |

All bowls are made of 304 stainless steel.

Stepdown bowls are smaller bowls used on larger machines. Smaller batches of product may not mix properly if mixed in a bowl that is too large, so using a stepdown bowl increases the versatility of the mixer and the types of product able to be mixed.



| Name                           | Application                                                                                                                                       | Mixer        | Model                                             |
|--------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------------|
| <b>Splash Cover</b>            | Control splash of light ingredients during mixing.                                                                                                | HL120        | SPLASH-LEX012                                     |
|                                |                                                                                                                                                   | HL200        | SPLASH-LEX020                                     |
|                                |                                                                                                                                                   | HL300        | SPLASH-LEX030                                     |
|                                |                                                                                                                                                   | HL400        | SPLASH-LEX040                                     |
|                                |                                                                                                                                                   | HL600, HL662 | SPLASH-LEX060                                     |
|                                |                                                                                                                                                   | HL800        | SPLASH-LEX080                                     |
|                                |                                                                                                                                                   | HL1400       | SPLASH-LEX140                                     |
| <b>Tray Support Attachment</b> | Hold trays beneath the VS9 attachment.                                                                                                            | HL120        | TRAY-HL2012                                       |
|                                |                                                                                                                                                   | HL200        |                                                   |
| <b>Bowl Extension Ring</b>     | Provides higher sidewalls for the bowl to prevent throw-out of certain ingredients. Does not increase bowl capacity.                              | HL600, HL662 | EXTEND-SST60G                                     |
|                                |                                                                                                                                                   | HL800        | EXTEND-SST60G – use with 60 qt. bowls             |
|                                |                                                                                                                                                   |              | EXTEND-SST80G – use with 80 qt. bowls             |
|                                |                                                                                                                                                   | HL1400       | EXTEND-SST60G – use with 60 qt. bowls             |
|                                |                                                                                                                                                   |              | EXTEND-SST80G – use with 80 qt. bowls             |
| <b>Bowl Truck</b>              | Self-centering, with rubber-tired wheels and guide handle for easy portability when moving bowls for floor model mixers. Includes leg extensions. | HL300        | TRUCK-HL4030                                      |
|                                |                                                                                                                                                   | HL400        |                                                   |
|                                |                                                                                                                                                   | HL600, HL662 | TRUCK-HL1486 – Legs add 9" height to HL600/HL662  |
|                                |                                                                                                                                                   | HL800        |                                                   |
|                                |                                                                                                                                                   | HL1400       | TRUCK-HL1400 – Legs add 2" height to HL800/HL1400 |
| <b>Bowl Truck Adapter</b>      | Inserts easily into the standard bowl truck to adapt it for use with smaller bowl sizes.                                                          | HL800        | TRKADPT-HL8640 – use with 60 and 40 qt. bowls     |
|                                |                                                                                                                                                   | HL1400       | TRKADPT-HL1464 – use with 60 and 40 qt. bowls     |
| <b>Ingredient Chute</b>        | Easily and safely add ingredients to the bowl during mixing.                                                                                      | HL120        | CHUTE-HL12                                        |
|                                |                                                                                                                                                   | HL200        | CHUTE-HL20                                        |
|                                |                                                                                                                                                   | HL300        | CHUTE-HL4030                                      |
|                                |                                                                                                                                                   | HL400        |                                                   |
|                                |                                                                                                                                                   | HL600, HL662 | CHUTE-HL                                          |
|                                |                                                                                                                                                   | HL800        | CHUTE-LMV                                         |
|                                |                                                                                                                                                   | HL1400       |                                                   |
| <b>Mixer Table</b>             | Table for countertop mixers with pegs to store agitators. Dimensions: 27" W x 32" D x 26.75" H                                                    | HL120        | TABLEHW-HL2012                                    |
|                                |                                                                                                                                                   | HL200        |                                                   |







## VS9 VEGETABLE SLICER

Attachment for food processing that fits in the #12 attachment hub of a Hobart Mixer or Food Cutter. Slicer, shredder, and grater plates can be used with the VS9 for various food processing applications.

*\*Not compatible with Hobart Classic L800 and V1401 mixers.*

| Plate                                                                                                       | Application                                                                                            | Food Products                                               | Recommendations                                                                  |
|-------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|----------------------------------------------------------------------------------|
| <br><b>VS9PLT-ASP12</b>    | Slicing - adjustable settings from 5/8" to wafer thin slices                                           | Vegetables and cheeses                                      | All speeds can be used to slice                                                  |
| <br><b>VS9PLT-GRATER</b>   | Grating                                                                                                | Hard natural cheeses, hard vegetables, spices, bread crumbs | 1st or 2nd speed for 3 speed mixers<br>1st, 2nd, or 3rd speed for 4 speed mixers |
| <br><b>VS9PLT-3/32SH</b>  | Fine shredding                                                                                         | Cheeses, quick cooking vegetables                           | 1st or 2nd speed for 3 speed mixers<br>1st, 2nd, or 3rd speed for 4 speed mixers |
| <br><b>VS9PLT-3/16SH</b> | Medium shredding                                                                                       | Cheeses, salad vegetables, quick cooking vegetables         | 1st or 2nd speed for 3 speed mixers<br>1st, 2nd, or 3rd speed for 4 speed mixers |
| <br><b>VS9PLT-5/16SH</b> | Medium shredding                                                                                       | Cheeses, salad vegetables, quick cooking vegetables         | 1st or 2nd speed for 3 speed mixers<br>1st, 2nd, or 3rd speed for 4 speed mixers |
| <br><b>VS9PLT-1/2SH</b>  | Course shredding                                                                                       | Cole slaw, soup stock, hashbrowns                           | 1st or 2nd speed for 3 speed mixers<br>1st, 2nd, or 3rd speed for 4 speed mixers |
| <br><b>VS9HOLD-SHG12</b> | Securely mounts grater and shredder plates.<br>Required for use with above grater and shredder plates. |                                                             |                                                                                  |



## #12 MEAT CHOPPER ATTACHMENT

Attachment for food processing that fits in the #12 attachment hub of a Hobart Mixer or Food Cutter. Can be used to chop and grind meats without crushing or mashing the product. 3rd speed is recommended for 3 speed mixers, and 2nd speed for 4 speed mixers.

*\*Not compatible with Hobart Classic L800 and V1401 mixers.*




12TIN-C/EPAN




12 C/E-5PLT

| Chopping Ends                                                                                     | Model        |
|---------------------------------------------------------------------------------------------------|--------------|
| #12 tinned chopping end with stainless steel round pan, stomper, knife, and 1/8" Stay Sharp plate | 12TIN-C/EPAN |
| #12 tinned chopping end with knife, 1/8", 3/16", 1/4", 3/8", and 1/2" Stay Sharp plates           | 12 CE-5PLT   |

| Knives & Plates             | Model        |
|-----------------------------|--------------|
| #12 Stay Sharp Knife        | 12KNF-STA/SH |
| #12 1/8" Stay Sharp Knife   | 12PLT-1/8S   |
| #12 3/16" Stay Sharp Knife  | 12PLT-3/16S  |
| #12 1/4" Stay Sharp Knife   | 12PLT-1/4S   |
| #12 3/8" Stay Sharp Knife   | 12PLT-3/8S   |
| #12 1/2" Stay Sharp Knife   | 12PLT-1/2S   |
| #12 5/8" Stay Sharp Knife   | 12PLT-5/8S   |
| #12 11/16" Stay Sharp Knife | 12PLT-11/16S |



12KNF-STA/SH



12PLT-1/8S




12PLT-3/16S



12PLT-1/4S



12PLT-3/8S



12PLT-1/2S



12PLT-5/8S



12PLT-11/16S



12/22PN-SSTRND



12STF-HOG



12STF-SHEEP

| Feed Pan                                                                  | Model          |
|---------------------------------------------------------------------------|----------------|
| Round stainless steel feed pan<br>Dimensions: 12" diameter x 1-3/4" depth | 12/22PN-SSTRND |

| Stuffers            | Model       |
|---------------------|-------------|
| #12 Stuffer - Large | 12STF-HOG   |
| #12 Stuffer - Small | 12STF-SHEEP |

As continued product improvement is a policy of Hobart, specifications are subject to change without notice.