

CHEFTOP MIND.Maps™ PLUS





Index

CHEFTOP MIND.Maps™ PLUS combi-steamers	page	4
Cooking Assistance	page	8
Technologies	page	12
PLUS capacitive control panel	page	24
CHEETOD MIND Marra PRINC COUNTEDTOD		28
CHEFTOP MIND.Maps™ PLUS COUNTERTOP	page	20
CHEFTOP MIND.Maps™ PLUS COMPACT	page	40
CHEFTOP MIND.Maps™ PLUS BIG	page	46
Cooking Essentials Special Trays	page	54
Care and Maintenance	page	62
Techical data	page	66
Techical Assistance	page	76
Unox in the world	page	78



CHEFTOP MIND.Maps™ PLUS

BIG

(UNOX)





CHEFTOP MIND.Maps™ PLUS COUNTERTOP

CHEFTOP MIND.Maps™ PLUS COMPACT

CHEFTOP MIND.Maps™ PLUS

Intelligent combi ovens

CHEFTOP MIND.Maps™ PLUS is the intelligent combi oven that grills, fries, roasts, browns, smokes, cooks with steam and much more. Automatic cooking cycles and smart functions, including Artificial Intelligence, make CHEFTOP MIND.Maps™ PLUS the ideal partner for your kitchen, providing concrete support to your work. CHEFTOPMIND.Maps™ PLUS is designed to meet every need of your business and enable you to improve your kitchen processes.

MIND.Maps™ PLUS combi ovens are available in three versions, to meet the specific needs of each business:

COUNTERTOP 5, 10 GN 1/1 - 12" x 20" and 6, 10 18" x 26" for restaurants and deli shops;

COMPACT 5 GN 1/1 - 12" x 20" for professional kitchens with small spaces and small shops;

BIG 20 GN 2/1 or 16 18" x 26" trolley units for contract feeders, hotels and banqueting facilities.



Individual Cooking Experience

Try the oven for free. It's on us.



01

Book

Choose when and where to try your next Unox oven. Call our customer service and set up an appointment at your convenience.

Set up an appointment, call us or book it online on **unox.com**



02

Cook with us

In your kitchen, with your ingredients and your recipes: a Unox Chef will make you experience all the benefits of the ovens' technologies.



03

Choose

Being sure of the results you can achieve, take the time you need to make a choice based on solid certainties.



Cooking Assistance

TOP.Training

Discover your oven



Learn, use, improve

Top. Training is the Unox free training service. Our Chefs will show you everything you need to get the best from your new oven, from its basic features to its most advanced technologies.

> Download the Top.Training app from Google Play or App Store

Data Driven Cooking Community

Inspire and be inspired



A world of Recipes for your ovens

Let yourself be inspired by the DDC.App cookbook: download the recipes prepared by the Unox Chefs and by the DDC community users. Participate in the community and share your recipe!

> Download **DDC.App** from Google Play or App Store

CHEF.Line

You call, Unox answers



24/7

The Unox Chef Team is always at your disposal to give you practical advice on programs cooking methods and to suggest you new recipes: from the most traditional to the most innovative ones.

+1 800 489 8669



]]

Technologies

Intelligent.
Precise.
Connected



14

Unox Intelligent Performance

Improve your performances

Achieving identical results for each load requires control, intelligence and expertise: exactly what CHEFTOP MIND.Maps™ PLUS combi oven is made for.



ADAPTIVE.Cooking™

Perfect results. Every time.


By registering changes in humidity and temperature, CHEFTOP MIND.Maps™ PLUS combi oven automatically adjusts the cooking process to the actual food-load to deliver an identical and perfect result every time.



CLIMALUX™

Total humidity control.

The oven features accurate sensors to measure the actual humidity inside the cooking chamber and automatically activates steam production or evacuation to ensure that actual humidity always matches the set one.





SMART.Preheating

Intelligent preheating.

Combining the analysis of previous cooking processes with the requirements of the next one, the oven automatically sets the best temperature and preheating time to guarantee maximum repeatability of results throughout the day, therefore reducing waiting time.



AUTO.Soft

Gentle cooking function.

When activated, the oven automatically regulates the rise in temperature to make it gentler and guarantee an optimal heat distribution on each pan in the oven. The best for delicate and heat-sensitive foods.



SENSE.Klean

Intelligent cleaning.

By estimating the degree of dirtiness, based on the type of cooking recognised by the oven, it suggests the best automatic cleaning mode according to the actual use of the oven. Maximum hygiene and zero waste of water and detergent.

Single tray - 6 portions

Optimal settings for a half load -30 portions

6 mins 464 °F

0%

Half load setting used with a single tray or with a full load.



Perfectly grilled

Browned outside Soft inside

Time 5 mins Average temperature 464 °F Humidity 0 %

Too much heating

Average temperature

Burned outside

Dry inside

Time

6 min

482 °F

0 %

Humidity





Full load - 60 portions





Perfectly grilled

Browned outside Soft inside

Time 8 mins Average temperature 464 °F Humidity 0 %

Not grilled Boiled effect Raw inside

Time 6 min Average temperature 428 °F

Humidity 50 %

Without

With

Adaptive.Cooking™

It sets automatically all cooking parameters

to guarantee the same result for every process.

Single tray - 8 chickens

Perfect roasting Crispy skin Juicy meat Minimum weight loss

Humidity 30 %

Full load - 24 chickens





Perfect roasting Crispy skin Juicy meat Minimum weight loss

Humidity 30 %

With

CLIMALUX™

Measures the actual humidity in the cooking chamber and produces or extracts the quantity of humidity needed to obtain the set one.



Optimal settings for a half load -

16 chickens

374 °F

38 mins

Burned

Too brown Stringy meat Weight loss >35 %

Humidity 20 %



Pale roast

Boiled effect outside Raw meat Pale colour

Humidity 80 %



16

17

Single tray



Perfect browning Soft inside Uniform texture Not burned

Rise time 212 - 374 °F 7 mins

10 mins 20 mins 212 °F 374 °F 100% - 100%

Optimal settings

for a half load

Half load setting used with a single tray or with a full load.



Burned outside Burned edges Uneven baking Less cooked inside

Rise time 212 - 374 °F 1 min

Full load







Perfect browning Soft inside Uniform texture Not burned

Rise time 212 - 374 °F 7 mins





Burned outside Burned edges Uneven baking Less cooked inside

Rise time 212 - 374 °F 3 mins

Without

With


It manages the rise in temperature and

maintains uniformity in every point of the

tray, in each tray.

Auto.Soft

Single tray



Perfect browning Golden external colour Preheating time


9 mins Temp. oven chamber steel 356 °F


Perfect browning Golden external colour


Preheating time 20 sec

Temp. oven chamber steel 356 °F

Full load







Perfect browning Golden external colour

Preheating time 9 mins Temp. oven chamber steel 356 °F

Perfect browning

Golden external colour

Preheating time 20 sec Temp. oven chamber steel

356 °F

Pale browning

Pale external colour

Preheating time 6 mins Temp. oven chamber steel 212 °F

Extreme browning Burned crust

Preheating time 6 mins Temp. oven chamber steel 374 °F

With

SMART.Preheating

The Intelligence automatically regulates duration and intensity of preheating: intense when the oven is cold, fast or even skipped when the oven is already hot.




Optimal settings for a half load

PRE 410 °F

18 mins

356 °F

Half load setting used with a single tray or with a full load.




Pale browning


Pale external colour


Preheating time 6 mins Temp. oven chamber steel 212 °F

Extreme browning Burned crust


Preheating time 6 mins Temp. oven chamber steel 374 °F













DRY.Maxi™

Humidity gives way to flavour.

Effectively removes humidity from the cooking chamber to give your preparations perfect consistency, colour and crunchiness every time.



STEAM.Maxi™

The power of steam is in your hands.

Generates saturated steam from 95 °F and delivers high steaming performance combined with energy and water savings.





AIR.Maxi™

Conducts, unites, transforms.

Uses multiple high flow reversing fans to deliver uniform results and short cooking times. 4 speeds of the fan allow to perform any kind of cooking.



EFFICIENT.Power

Power and efficiency.

Quick temperature rise, high-precision temperature control, ENERGY STAR certified efficiency at the top of the category in combi, dry air and steam modes.



PRESSURE.Steam

Even more steam when you need it.

Increases steam temperature and its saturation to effectively allow you to further reduce steaming time and its intensity.



Data will be always accessible by smartphone or PC

An ecosystem to be discovered



Create and share

Your recipes in all your ovens.


Create your recipe book and synchronize it with all your ovens with just one click, keeping all your kitchens or stores up to date. You may create it directly from one of your ovens or from your PC.



Understand

Monitor and improve your performance.

DDC.Stats gives you full control over energy, water, and detergent consumption and over your cooking times and oven usage. Compare the performances, detect anomalies and get useful information to improve the efficiency of the ovens in your network.



360° Assistance

Let DDC.Coach train you.

DDC.Coach is a digital assistant that provides you with advice based on the actual use of your ovens. This allows you to take full advantage of their potential. Capitalize the abilities of your ovens and maximize the return on your investment!



Outdo yourself



Set

Easy, fast and crystal-clear.

Set any cooking process in a rapid and intuitive way for each of the available cooking steps.
All the settings you need in a single screen, up to 9 cooking steps. Limitless creativity.



Programs

384 Programs memory.

All your recipes are unique and repeatable thanks to the personal library that allows you to store and organize your cooking programs. CHEFTOP MIND.Maps™ PLUS can store 384 programs organized in 16 different groups.



CHEFUNOX

Choose what you want to cook and the desired result.

Trust and allow your oven to set the cooking parameters for you. Select the type of cooking, the food you want to cook and the degree of cooking you want.

Start. Nothing else.



MIND.Maps™

Do not set a cooking process, draw it.

Add your touch of brilliance. Draw even the most elaborate cooking with a few hand gestures on the display. Design your most complex cooking processes with maximum creative freedom. You imagine, the oven executes.



MULTI.Time

Up to 10 simultaneous cooking.

Ordered and organized. Manage up to 10 cooking processes at the same time with the MULTI.Time function and have the maximum control with a quick glance.



MISE.EN.PLACE

Beyond kitchen organization.

Suggests the correct order and timing for inserting trays inside the cooking chamber to have all the meals ready at the same time. Being punctual has never been so simple.



Express your creativity

CHEFTOP MIND.Map™ PLUS
COUNTERTOP is the professional oven
that can help make your visions a reality.
Cook every dish with the certainty
of the maximum result.
Every single time.

When combined with its accessories, your CHEFTOP MIND.Maps™ PLUS COUNTERTOP becomes a powerfull cooking tool that replaces multiple pieces of traditional equipment in your kitchen.

Grilling, frying, roasting, browning, smoking, steaming and much more. Automatic cooking processes and intelligent functions give the guarantee of always impeccable results.

up to **45**%

Less energy compared to a traditional grill

up to 80%

Less water compared to cooking in boiling water

Up to **90%**

Less oil compared to a fryer

Repeatable and consistent

Versatilty

Simultaneous cooking of multiple food items

Saving

Energy, time, ingredients and labor

Intelligence

Focus on your customers, the oven will do the rest

71

Configure your CHEFTOP MIND.Maps™ PLUS oven online.



Increase your Possibilities



Oven + Stand

The multifunctional support ideal for storing trays safely and place your oven at the perfect height to work.

Art. XWVRC-0711-UH Technical details at page 74



Oven + Oven + Lievox

Versatility and efficiency with two stacked ovens combined with perfect proofing. Ideal for in-store baking.

Art. XAVPC-12FS-B More informations at page 35 Technical details at page 73



Oven + Neutral cabinet

Recommended solution to optimize your kitchen layout and always have everything in the right place.

Art. XWVEC-0811 Technical details at page 73



Oven + Oven


The solution with two stacked units is ideal for maximum versatility, flexibility and energy savings.

32

Zero smells in your kitchen

Ventless Hood

Within the ventless hood, a self-cleaning filter **removes odours** from the fumes that are expelled through the oven chimney, without the need for maintenance or cleaning work on the filter. It allows you to install your oven even far from a ceiling canopy and force exhausts into it or outside.*




^{*}Subject to inspection and approval by organisations and to local regulations.



LIEVOX

Leavening is a game of balance between dough, temperature, humidity and time. LIEVOX proofers are equipped with capable sensors to control and intervene automatically on the leavening process to guarantee the quality of the final product. LIEVOX opens a world of possibilities in baking traditional products such as bread, leavened cakes, croissants and much more.





Smoke. Cook. Amaze.

HYPER.Smoker

HYPER.Smoker transforms your oven into a smoker. You can use shavings of natural wood and choose from among 10 different smoking intensities directly from the control panel of the oven to amaze even the most demanding of palates.

Moreover you will smoke food using the energy produced in the cooking chamber without further costs and external electrical power supply.







Cooking fat collection system

SMART.Drain is the ideal solution for supermarkets, deli shops, production kitchens and steak houses that carry out cookings with large amount of fat.

Its functioning is based on a special two-way valve that collects any fat and cooking liquids created during the cooking program and drains them into a tank.



Liquid to tank (fat collection)



Liquid to drainage (washing and low-fat cooking)



Closed solution Cabinet + SMART.Drain

The tank is hidden within the cabinet.

Art. XWVEC-0811 + XUC020 Technical details at page 73

For each one of your cooking or washing programs, your oven automatically checks the correct position of the valve to avoid any risk of the drain being blocked by condensed fat.



The special POLLO.BLACK trays convey the fats towards the drain, reducing by up to 80% the amount of fat deposits that accumulate in the cooking chamber compared to normal grills.



Open solution Stand + SMART.Drain

The tank is in the most easily accessible location.

Art. XWVRC-0011-H + XUC020 Technical details at page 74



Double stack solution Oven + Oven + SMART.Drain

Double-stack ovens with SMART.Drain for lower unit.

Art. XWARC-00EF-L-PO + XWBYC-00EF-L-PO + XUC020 Technical details at page 73



Grilling, frying, roasting, browning, smoking, steaming and much more. Versatility cooking that reaches its maximum expression in multi-chamber solutions that give free space for ever-changing menus.

24%

Less footprint compared to a non compact oven


158 lbs

Maximum capacity 2 x 2 combination *

21-1/8"

One of the **narrowest** ovens in its category

*Data refers to a 4 XACC-0513-EPRM ovens combination.



Reduced footprint

Get the most from vertical spaces

Flexibility

Stack 2 units to enable different cookings at the same time

Savings


A smaller cooking chamber requires less energy

Intelligence

Focus on your customers, the oven will do the rest

Compact combinations







Configuration

COMPACT

3,52 ft



Limitless performances

CHEFTOP MIND.Maps™ PLUS BIG is the trolley combi oven with the highest productivity and reliability.

CHEFTOP MIND.Maps™ PLUS BIG uses the latest technologies to give concrete support

Steaming, grilling, regeneration of dishes and much more: maximum performance and perfectly optimized full loads.

Quality and cooking uniformity are always guaranteed with any foodload, and the repeatability of cooking is independent by its user.

396 lbs

Full load maximum capacity

572 °F

Maximum cooking temperature

4.5 min

Preheating time from 86 °F to 572 °F



Productivity

High volumes, zero stops

Uniformity

6 close-pitch reversing fans

Repeatability

Standardized results, consistency

Intelligence

Focus on your customers, the oven will do the rest

What lies behind?

Built to last

Space-frame chassis

The CHEFTOP MIND.Maps™ PLUS BIG features a space-frame chassis made of 2" thick stainless steel tubes. The whole structure is extremely rigid and the door is fixed to the frame to guarantee its perfect closure even after years of work.






Door with push-to-close function

Tested for over 1 million cycles, the push-to-close function of the door **reduces** the operator **efforts** during work. The door strength and security are guaranteed by 2-13/16" thickness.



316L Stainless steel

The cooking chamber and the trolley are made of 316L stainless steel, which guarantees resistance over time to any type of corrosion. PURE-RO water treatment for chloride elimination is not necessary, the PURE treatment is required for the removal of limestone from water.



6 close-pitch reversing fans

High-performance heating elements

Electric ovens feature unique straight-line heating elements with high power intensity that produce heat quickly, minimizing temperature recovery times and optimizing air flows.

Pressure gas burners

Unox gas ovens are the only ones in the world with high performance blown burners and symmetrical straight heat **exchangers.** High power minimizes temperature recovery times and air flows.









QUICK.Load

20 GN 2/1 trolleys simplify cooking and transportation of large food quantities.

Art. **XEVTL-2021** Technical details at page 75

QUICK.Load


16 18" x 26" trolleys simplify cooking and transportation of large food quantities.

Art. **XAVTL-16FS**Technical details at page 75

QUICK.Plate

A plate trolley to regenerate and transport up to 102 plates. We can customize the trolley based on your specific needs.

Art. **XEVTL-102P** Technical details at page 75 Soluti



Cooking Essentials Trays

Unlimited cooking modes

Cooking Essentials

SUPER.GRILL

Non-stick aluminium pan plus grill with QUICK.Load system.



Ideal for

Grilled meat; Grilled fish; Grilled vegetables.



Advantages

Perfect for full loads. Grilling times up to 30% less than traditional grill.

Art. **TG970** GN 1/1 - 12" x 20" Only for COUNTERTOP and BIG models.

GRILL

Non-stick alluminum grilling pan.

Does not require to be preheated before use.



Ideal for

Grilled fish; Grilled vegetables.

Advantages

Does not require to be preheated into the oven to achieve outstanding squared marks on food; Perfect for full loads.

Art. **TG885** GN 1/1 - 12" x 20" - Art. **TG530** 18" x 26"

FAKIRO.GRILL

Non-stick aluminium pan. Two cooking surfaces: ribbed for grilling, flat for different types of cooking.



Ideal for

Grilled meat and fish; Grilled vegetables; Pizza and Focaccia.


Advantages

Grilling times up to 30% less than traditional grilling equipment or fry tops; Grilling different types of food at the same time.

Art. **TG870** GN 1/1 - 12" x 20"

POLLO.BLACK

8 chicken non-stick stainless steel grid.



Ideal for

Whole chickens and birds.

Advantages

Non-stick coating to facilitate bird removal; Works best in combination with SMART.DRAIN fat collection kit.

Art. **GRP825** GN 1/1 - 12" x 20" - Art. **GRP570** 18" x 26"

Cooking Essentials

EGGS 6 x 2

Non-stick alluminum pan for 6 double-egg portions.



Ideal for

Fried eggs; Sunny side up eggs; Omelette.

Advantages

Huge quantities of eggs cooked in less than 4 minutes; Easy to clean and made to last.

Art. **TG935** GN 1/1 - 12" x 20"

EGGS8x1

8 single-eggs non-stick alluminum pan.



Ideal for

Fried eggs; Sunny side up eggs and omelette; Poached egg.

Advantages

Huge quantities of fried or poached eggs in less than 4 minutes; Easy to clean and made to last.

Art. **TG936** GN 1/1 - 12" x 20"

FORO.BLACK

Non-stick perforated alluminum tray.



Ideal for

Croissant; Frozen bread, Pastry.

Advantages

Non-stick coating; Ultra-low sides to improve air circulation on each piece.

Art. **TG890** GN 1/1 - 12" x 20" - Art. **TG520** 18" x 26"

FORO.BAKE

Perforated aluminium tray



Ideal for

Pastry; Cakes.

Advantages

Perforated aluminium tray to increase the dough sweating during baking; Ultra low edge for maximum baking uniformity.

Art. **TG515** 18" x 26"

Cooking Essentials

PAN.FRY

Non-stick stainless steel frying pan.



Ideal for

Nuggets; Breaded veggies; Fish and meat sticks.


Advantages

Less oil to be used for cooking; Identical frying results on each piece of food.

Art. **TG905** GN 1/1 - 12" x 20" - Art. **TG525** 18" x 26"

BACON.40

Stainless steel grid with fat-collection pan.



Ideal for

Bacon; Roast meat; Spatchcock or Split chicken.


Advantages

Up to 18 crispy bacon slices in less than 5 mins; The fat collection tray is coated with non-stick material for easy cleaning.

Art. **TG945** GN 1/1 - 12" x 20"

STEAM

Perforated stainless steel pan.



Ideal for

Steaming; Sous-Vide Cooking.

Advantages

Perforated bottom and sides to improve steam circulation on food.

Art. GRP815 GN 1/1 - 12" x 20"

STEAM&FRY

Perforated stainless steel pan.



Ideal for

French fries; Frozen pre-fried foods; Sous-Vide Cooking; Steaming.

Advantages

Perforated bottom to improve steam circulation on food; Double use: steaming or pre-fried cookings.

Art. **GRP575** 18" x 26"

BLACK.20

0-13/16" (20 mm) non-stick stainless steel pan.




Ideal for

Braising; Roasting; Steaming rice.

Advantages

Waste-free braising, roasting and rice steaming; The tray is coated with high-resistance, nonstick material for easy food removal and cleaning.





UNOX.Pure

DET&Rinse™

1







FINEST

The UNOX.Pure filter reduces the carbonate hardness in water, thus avoiding scale deposits inside the oven cooking chamber.

Art. XHC012 Technical details at page 75



REFILL

Replacement cartridge for UNOX.Pure.

Art. XHC013 Technical details at page 75



PLUS

Cleaning and rinse agents to combine maximum cleanliness with minimum consumption and long life for your oven.

Art. DB1015 Technical details at page 75



ECO

Eco formula for daily cleaning and the utmost respect for the environment. Ideal for mild level of dirt.


Art. DB1018 Technical details at page 75

Discover all the ovens and their combined accessories

The most intelligent oven in the world

XACC- 0513 - EPRM

capacity 5 GN 1/1 12" x 20" pitch 2 11/16" - 67 mm frequency 60 Hz voltage 208 - 240 V 3~ power 5,8 - 7,7 kW weight 150 lbs - 68 kg



29-9/16" x 30-7/8" x 26-5/8" (750 x 783 x 675 mm) wxdxh


9 XAVC - 0511 - EPRM

capacity 5 GN 1/1 12" x 20" pitch 2 11/16" - 67 mm frequency 60 Hz voltage 208 - 240 V 3~ power 5,8 - 7,7 kW weight 148 lbs - 67 kg

★ XAVC - 0511 - GPRM

capacity 5 GN 1/1 12" x 20" pitch 2 11/16" - 67 mm frequency 60 Hz voltage 120 V 1~ power 0,6 kW gas power G20, G25, G30, G31: 15 kW connected 51182 Btu/h energy load

weight 181 lbs - 82 kg




29-9/16" x 30-7/8" x 39-13/16" (750 x 783 x 1010 mm) wxdxh

XAVC - 1011 - EPRM

capacity 10 GN 1/1 12" x 20" pitch 2 11/16" - 67 mm frequency 60 Hz voltage 208 - 240 V 3~ power 12 - 15,5 kW weight 216 lbs - 98 kg

♠ XAVC - 1011 - GPRM

capacity 10 GN 1/1 12" x 20" pitch 2 11/16" - 67 mm frequency 60 Hz voltage 120 V 1~ power 1kW gas power G20, G25, G30, G31: 22 kW connected 75067 Btu/h energy load weight 256 lbs - 116 kg



33-7/8" x 38-1/8" x 33-1/4" (860 x 967 x 843 mm) wxdxh

∮ XAVC - 06FS - EPRM

capacity 618" x 26"


pitch 2 11/16" - 67 mm frequency 60 Hz voltage 208 - 240 V 3~ power 14,3 - 19 kW weight 247 lbs - 112 kg

♠ XAVC - 06FS - GPRM

capacity 618" x 26"

pitch 2 11/16" - 67 mm

frequency 60 Hz voltage 120 V 1~ power 1kW gas power G20, G25, G30, G31: 33 kW connected 81891 Btu/h energy load weight 286 lbs - 130 kg



33-7/8" x 38-1/8" x 45-13/16" (860 x 967 x 1163 mm) wxdxh

XAVC - 10FS - EPRM

capacity 10 18" x 26"

pitch 2 11/16" - 67 mm frequency 60 Hz voltage 208 - 240 V 3~ power 21,6 - 29 kW weight 327 lbs - 148 kg


♠ XAVC - 10FS - GPRM

capacity 10 18" x 26"

pitch 2 11/16" - 67 mm

frequency 60 Hz voltage 120 V 1~ power 1,4 kW gas power G20, G25, G30, G31: 33 kW connected 119424 Btu/h

energy load weight 384 lbs - 174 kg



35-1/8" x 40-1/8" x 73-7/8" (892 x 1018 x 1875 mm) wxdxh

XAVL - 2021 - DPRS

capacity 20 GN 2/1 or 16 18" x 26" pitch 2 11/16" - 67 mm frequency 60 Hz voltage 208 - 240 V 3~ power 53,7 - 71 kW weight 748 lbs - 339 kg

5 XAVL - 2021 - HPRS

High voltage electric models voltage 440 - 480 V 3~

♠ XAVL - 2021 - GPRS

capacity 20 GN 2/1 or 16 18" x 26" pitch 2 11/16" - 67 mm frequency 60 Hz voltage 120 V 1~ power 2,6 kW gas power G20, G25, G30, G31: 90 kW connected 238850 Btu/h energy load weight 814 lbs - 370 kg

XAVL - 2021 - NPRS

capacity 20 GN 2/1 or 16 18" x 26" pitch 211/16" - 67 mm frequency 60 Hz voltage 208 - 240 V 1~ power 2.6 kW gas power G20, G25, G30, G31: 90 kW connected 238850 Btu/h energy load weight 785 lbs - 356 kg



All BIG ovens have the XEVTL-2021 trolley included.





All ovens have an optional model with a left to right door opening - item code example XAVC-1011-EPLM.













Technical details















Proximity door contact switch

Self-diagnosis system to detect problems or breakdowns Safety temperature switch

MIND.Maps™ PLUS

72

Features	StandardOptional	BIG	COUNTERTOP and COMPACT
. catales	Not available	<i>4</i> 8	4 A
UNOX INTELLIGENT PERFORMANCE		, 6	, 6
ADAPTIVE.Cooking™: automatically regulates the cooking parameter	ers to ensure repeatable results	• •	• •
CLIMALUX™: total control of the humidity in the cooking chamber		• •	• •
SMART.Preheating: sets automatically the temperature and the du AUTO.Soft: manages the heat rise to make it more delicate	ration of the preheating	• •	• •
SENSE.Klean: estimates how dirty the oven is and suggests approp	priate automatic cleaning	• •	• •
UNOX INTENSIVE COOKING			
DRY.Maxi™: rapidly extracts the humidity from the cooking chamber	<u>er</u>	• •	• •
STEAM.Maxi™: produces saturated steam starting from 95 °F AIR.Maxi™: multiple fans with reverse gear and 4 speed settings		• •	• •
EFFICIENT.Power: ENERGY STAR certified energy efficiency		• •	• •
PRESSURE.Steam: increases the saturation and temperature of ste	am	• •	• •
DATA DRIVEN COOKING			
Wi-Fi connection Ethernet connection		0 0	0 0
ddc.unox.com: control the oven usage in real time, create and send	d recipes from your PC to your ovens	• •	• •
DDC.Stats: analyse, compare and improve the user and consumpti		• •	• •
DDC.App: monitor all connected ovens in real time from your smar		• •	• •
DDC.Coach: analyses the way in which you use the oven and sugge MANUAL COOKING	ests personalised recipes	• •	• •
Convection cooking from 86 °F to 500 °F		• •	
Convection cooking from 86 °F to 572 °F		• •	
Mixed convection + steam cooking starting from 95 °F with STEAM		• •	• •
Convection + humidity cooking starting from 118 °F with STEAM.Ma Saturated steam cooking starting from 118 °F to 266 °F with STEAM		• •	• •
Convection cooking + forced humidity extraction from 86 °F with D		• •	• •
Cooking with core probe and DELTA T function		• •	• •
Single-point core probe	20.0507.50014		
MULTI.Point core probe - excluding models XEVC-0311-EPRM / XEC SOUS-VIDE core probe	.C-0523-EPRM	• •	0 0
ADVANCED AND AUTOMATIC COOKING			
MIND.Maps™: draw the cooking processes directly on the display		• •	
PROGRAMMES: up to 384 programmes that can be saved with name		• •	• •
CHEFUNOX: choose something to cook from the library and the ow MULTI.Time: manages up to 10 cooking processes at the same time		• •	• •
MISE.EN.PLACE: synchronises the insertion of pans so that all the d		• •	• •
AUTOMATIC CLEANING	<u> </u>		
Rotor.KLEAN™: 4 automatic cleaning programmes		• •	• •
Rotor.KLEAN™: water and detergent level detector – excluding mod Integrated DET&Rinse™ detergent container	dels XEVC-0311-EPRM / XECC-0523-EPRM	• •	• •
AUXILIARY FUNCTIONS			•
Preheating up to 572 °F can be set by the user for each programme	e	• •	
Preheating up to 500 °F can be set by the user for each programm	ie	• •	• •
Remaining cooking time display		• •	• •
Holding cooking mode "HOLD" and continuous functioning "INF" Display of the nominal value of the cooking parameters		• •	• •
Temperature units in °F or °F		• •	• •
PERFORMANCE AND SAFETY			
Protek.SAFE™: automatic fan stop on opening the door		• •	• •
Protek.SAFE™: power modulation of electricity or gas depending or Spido.GAS™: high-performance straight heat exchanger pipes for sy			- •
Spido.GAS™: high-performance pressure burners and symmetrical		- •	
TECHNICAL DETAILS			
Cooking chamber in high-resistance AISI 304 stainless steel with ro	ounded edges		• •
Moulded cooking chamber in AISI 316 L marine stainless steel Cooking chamber with C-shaped rack rails		• •	• •
Cooking chamber with C-shaped rack rails Cooking chamber lighting through LED lights embedded in the do	oor	• •	• •
9.5" touchscreen capacitive control panel		• •	• •
7" touchscreen resistive control panel			
Control panel with water resistance certification - IPX5 Drip collection system integrated in the door and functional even v	with the door open	• •	• •
Heavy-duty structure with the use of innovative materials	man and door open	• •	• •
4-speed multiple fan system and high-performance circular resista			• •
6 motors with multiple fan system with reverse gear and high pow		• •	
Door hinges made of high-resistance, self-lubricating techno-polyr Door stop positions 120° - 180°	ner	• •	
Door stop positions 60° - 120° - 180°			• •
Reversible door in use even after installation (special kit required)			0 0

Accessories




PROOFER



LIEVOX

12 18" x 26" 33-15/16" x 42-5/8" x 31-7/16" (860 x 978 x 798 mm) - w x d x h Art. XAVPC-12FS-B



NEUTRAL CABINET


for 18" x 26" COUNTERTOP ovens 33-15/16" x 42-5/8" x 31-7/16" (860 x 910 x 720 mm) - w x d x h Art. XWAEC-08EF

Art. XWVEC-0811

NEUTRAL CABINET


for GN 1/1 - 12" x 20" COUNTERTOP ovens 29-9/16" x 26-5/8" x 29-9/16" (750 x 676 x 751 mm) - w x d x h

HOODS





COUNTERTOP ovens 33-7/8" x 45-1/16" x 10-3/16" (860 x 1145 x 258 mm) - w x d x h Art. XAVHC-HCFS



SMART.DRAIN

SMART.DRAIN

cooking fat and liquid collection system

for neutral cabinet and high open stand Art. XUC020

*for all the solutions see page 39

HOOD WITH STEAM CONDENSER

for GN 1/1 - 12" x 20" COUNTERTOP ovens 29-1/2" x 37-5/8" x 10-3/16" (750 x 956 x 240 mm) - w x d x h Art. XAVHC-HC11



STAND


for 18" x 26" COUNTERTOP ovens 33-9/16" x 28-1/8" x 12-1/16" (852 x 713 x 305 mm) - w x d x h





HOOD WITH STEAM CONDENSER

for GN 1/1 - 12" x 20" COMPACT ovens 21-1/16" x 40-1/16" x 13-1/2" (535 x 1100 x 240 mm) - w x d x h Art. XACHC-HC13



TROLLEY

Mandatory with XWARC-00EF-L-PO and XUC020

for 18" x 26" COUNTERTOP ovens 24-13/16" x 27-7/8" x 4-3/16" (629 x 708 x 106 mm) - w x d x h Art. XWBYC-00EF-L-PO

HIGH STAND

for 18" x 26" COUNTERTOP ovens 33-3/16" x 28-1/8" x 29-5/8" (842 x 713 x 752 mm) - w x d x h Art. XWARC-07EF-H for GN 1/1 - 12" x 20"

COUNTERTOP ovens 28-7/8" x 21-1/12" x 29-5/8" (732 x 546 x 752 mm) - w x d x h

Art. XWVRC-0711-H

for GN 1/1 - 12" x 20"

COMPACT ovens

20-3/8" x 30-11/16" x 29-5/16"

(518 x 779 x 744 mm) - w x d x h

Art. XWCRC-0613-H



*Mandatory for oven positioning on the floor

for GN 1/1 - 12" x 20" COUNTERTOP ovens 28-7/8" x 21-1/2" x 4-7/16"

for GN 1/1 - 12" x 20" COMPACT ovens 20-7/8" x 27-3/8" x 7"





for CHEFTOP MIND.Maps™ PLUS ovens - Check the compatibility with models that have been produced before 2016 Art. XUC090

HYPER.SMOKER


INTERMEDIATE STAND



for GN 1/1 - 12" x 20" COUNTERTOP ovens 28-7/8" x 21-1/2" x 18-3/16" (732 x 546 x 462 mm) - w x d x h Art. XWVRC-0011-M

WHEELS KIT

FEET KIT



WHEELS KIT 2 wheels with brake - 2 wheels without brake - safety chains

Art. XUC012

LOW STAND

for 18" x 26" COUNTERTOP ovens 33-3/16" x 28-1/8" x 12-1/16" (842 x 713 x 305 mm) - w x d x h

Art. XWARC-00EF-L

for GN 1/1 - 12" x 20" COMPACT ovens 20-14/16" x 27-7/16" x 14-9/16" (530 x 696 x 370 mm) - w x d x h Art. XWCRC-0013-L

FEET KIT

4 adjustable feet


for GN 1/1 - 12" x 20" COMPACT ovens Art. XUC044

Art. XAARC-00EF-F

(732 x 546 x 113 mm) - w x d x h

Art. XWVRC-0011-F

(530 x 696 x 178 mm) - w x d x h Art. XWCRC-0013-F




QUICK.LOAD

for BIG ovens 29-5/16" x 30-7/8" x 67-5/8" (743 x 783 x 1717 mm) - w x d x h

Art. XEVTL-2021

for BIG ovens 29-5/8" x 25-3/4" x 66-1/8" (752 x 654 x 1679 mm) - w x d x h Art. XAVTL-16FS



QUICK.PLATE

for BIG ovens - 102 plates 30 9/16" x 33 9/16" x 67 5/16" (776 x 851 x 1709 mm)- w x d x h Art. XEVTL-102P

CARE AND MAINTENANCE



UNOX.FINEST

water treatment with resin filters Art. XHC012

+ REFILL FILTER CARTRIDGE Art. XHC013






DET&RINSE™ PLUS DET&RINSE™ ECO

one box contains 10 x 1 lt tanks Art. DB1015 Art. DB1018

CONNECTIVITY



ACCESSORIES FOR THE OVENS CONNECTION

Ethernet connection kit Art. XEC001



Technical Assistance

Installation

The right partner next to your kitchen



A global Service network

A perfect installation is essential to guarantee the correct functioning of your MIND. Maps™ PLUS oven and eliminate interruptions in your daily work. We focus on you, so you can focus on what matters to you. Find the authorized Service Centers nearest to your kitchen.

Maintenance

Don't stop your kitchen



The quickest on site Service

When connected to the internet, your oven communicates directly with our Service Team, so we can intervene as soon or even before maintenance is required. Keeping in optimal condition your oven is Unox' priority: our technicians are at your disposal to provide you the best on-line and on-site support.

LONG.Life and LONG.Life4 Warranty

A promise of reliablity



A choice made to last

Connect your CHEFTOP MIND.Maps™ PLUS to the internet and activate the UNOX LONG.Life4 extended warranty on our website unox.com. Up to 4 years / 10.000 working hours, whichever occurs first, on parts and 2 years on labor.*

> *Check the Guarantee Conditions for your country on our website unox.com



UNOX in the world

Tel: +39 049 8657511

UNOX S.p.a
Via Majorana, 22
35010 - Cadoneghe (PD) - Italy
E-mail: info@unox.com

IT - ITALIA UNOX S.p.a

EUROPE

E-mail: info@unox.it Tel: +39 049 8657511

DE - DEUTSCHLAND UNOX DEUTSCHLAND GMBH

E-mail: info.de@unox.com Tel: +49 2951 98760

FR - FRANCE, BELGIUM & LUXEMBOURG UNOX FRANCE s.a.s.

E-mail: info.fr@unox.com Tel: +33 4 78 17 35 39

PT - PORTUGAL UNOX PORTUGAL

E-mail: info.pt@unox.com Tel: +351 918 228 787

ES - ESPAÑA UNOX PROFESIONAL ESPAÑA S.L.

E-mail: info.es@unox.com Tel: +34 900 82 89 43

GB - UNITED KINGDOM UNOX UK Ltd.

E-mail: info@unoxuk.com Tel: +44 1252 851 522

IE - IRELAND UNOX IRELAND

E-mail: info.ie@unox.com Tel. +353 (0) 87 32 23 218

SC - SCANDINAVIAN COUNTRIES UNOX SCANDINAVIA AB

E-mail: info.se@unox.com Tel: +46(0)790 75 63 64

AT - ÖSTERREICH UNOX ÖSTERREICH GMBH

E-mail: info.de@unox.com Tel. +43 1206 092 068

RU - РОССИЯ, ПРИБАЛТИКА И СТРАНЫ СНГ UNOX РОССИЯ

E-mail: info.ru@unox.com Tel: +7 (499) 702 - 00 - 14

CZ - ČESKÁ REPUBLIKA UNOX DISTRIBUTION s.r.o. E-mail: info.cz@unox.com

E-mail: info.cz@unox.cor Tel: +420 241 940 000

HR - HRVATSKA UNOX CROATIA

E-mail: narudzbe@unox.com Tel: +39 049 86 57 538

BG - БЪЛГАРИЯ UNOX BULGARIA

E-mail: info.bg@unox.com Tel: +359 2 419 05 00

PL - POLSKA Unox Polska Sp.zo.o.

E-mail: info.pl@unox.com Tel: +48 665 232 000

TR - TÜRKİYE - UNOX TURKEY Profesyonel mutfak ekipmanlari endüstri ve ticaret limited şirketi

E-mail: info.tr@unox.com Tel: +90 530 176 62 03

NL - NETHERLANDS UNOX NETHERLANDS B.V.

E-mail: info.nl@unox.com Tel: +31 6 27 21 14 10

US - U.S.A. & CANADA UNOX Inc.

AMERICA

E-mail: info.usa@unox.com Tel: +1 800 489 8669

CO - COLOMBIA UNOX COLOMBIA

E-mail: info.co@unox.com Tel: +57 350 65 88 204

BR - UNOX BRASIL SERVICOS LTDA.

E-mail: info.br@unox.com Tel: +55 11 98717-8201

AR - ARGENTINA UNOX ARGENTINA

E-mail: info.ar@unox.com Tel: +54 911 37 58 43 46

MX - MEXICO UNOX MEXICO, S. DE R.L. DE C.V.

E-mail: info.mx@unox.com Tel: +52 55 8116-7720

ZA - SOUTH AFRICA UNOX SOUTH AFRICA

ASIA, OCEANIA & AFRICA

E-mail: info.sa@unox.com Tel: +27 845 05 52 35

AE - U.A.E. UNOX MIDDLE EAST DMCC

E-mail: info.uae@unox.com Tel: +971 4 554 2146

UZ - UZBEKISTAN UNOX PRO LLC

E-mail: info.uz@unox.com Tel: +998 90 370 90 10

CN - 中华人民共和国 UNOX TRADING (SHANGHAI) Ltd. CO.

电子邮件: info.china@unox.com 电话: +86 21 56907696

MY - MALAYSIA & SINGAPORE UNOX (ASIA) SDN. BHD

E-mail: info.asia@unox.com Tel: +603-58797700

PH - PHILIPPINES UNOX PHILIPPINES

om E-mail: info.asia@unox.com Tel: +63 9173108084

ID - INDONESIA UNOX INDONESIA

E-mail: info.asia@unox.com Tel: +62 81908852999

KR - 대한민국 UNOX KOREA CO. Ltd.

이메일 : info.asia@unox.com 전화 : +82 2 69410351

TW - TAIWAN, HONG KONG & MACAU UNOX TAIWAN

E-mail: info.tw@unox.com Tel: +886 928 250 536

AC - OTHER ASIAN COUNTRIES UNOX (ASIA) SDN. BHD

E-mail: info.asia@unox.com Tel: +603-58797700

AU - AUSTRALIA UNOX AUSTRALIA PTY Ltd.

E-mail: info@unoxaustralia.com.au Tel: +61 3 9876 0803

NZ - NEW ZEALAND UNOX NEW ZEALAND Ltd.

E-mail: info@unox.co.nz Tel: +64 (0) 800 76 0803



unox.com







