

Lincoln®



QuickShip[®]

Get faster shipping on the most popular models of Lincoln Conveyor ovens.





The Lincoln QuickShip Program offers quick shipment on several popular Lincoln oven models allowing you to satisfy your customer's urgent equipment requirements.



Program Details

- ▶ Orders received by noon E.S.T. ship the next business day or sooner.
- ▶ Order must be marked as "QuickShip" program and no clarification is required.
- ▶ Program is available for orders of 1-3 ovens. For larger orders, contact Lincoln Customer Service for delivery date.
- ▶ Account must be in good credit standing and any orders that require buying group credit approval may be delayed for credit approval.
- ▶ Only the models listed are in the Quick Ship program.
- ▶ 2025 QuickShip program ends 12/31/25.
- ▶ Please refer to the current price list for pricing. Freight is FOB Covington, TN. Free Freight on minimum order of \$15,000.
- ▶ Program available for the contiguous states only (excludes Alaska and Hawaii and all off-shore United States territories and possessions, which include American Samoa, Guam, the Northern Mariana Islands, Puerto Rico, and the U.S. Virgin Islands).





DCTI

MODEL

DESCRIPTION

2500/1353-QS	Dual Voltage DCTI standard oven, 208V/240V, 1ph, 60Hz w/1353 short conveyor
2500/1346-QS	Dual Voltage DCTI standard oven, 208V/240V, 1ph, 60Hz w/1346 extended conveyor
V2500/1353-QS	Dual Voltage DCTI Ventless standard oven, 208V/240V, 1ph, 60Hz w/1353 short conveyor
V2500/1346-QS	Dual Voltage DCTI Ventless standard oven, 208V/240V, 1ph, 60Hz w/1346 extended conveyor
1341	Exit shelf - 12 inch
1342	Exit shelf - 4 inch
1343	Entry incline shelf - 12 inch
1344	Entry incline shelf - 4 inch
1345	Conveyor end stop
1950	Wall receptacle - NEMA 6-50R

ACCESSORIES



IMPINGER II

1132-000-U-KF005-QS	Electric Impinger II 208V, 3 Ph, 60 Hz, FastBake oven, R to L
1132-000-V-KF005-QS	Electric Ventless Impinger II 208V, 3 Ph, 60 Hz, FastBake, R to L
1132-000-U-KF006-QS	Electric Impinger II 208V, 3 Ph, 60 Hz, FastBake, L to R
1132-000-V-KF006-QS	Electric Ventless Impinger II 208V, 3 Ph, 60 Hz, FastBake, L to R
1116-000-U-KF005-QS	Natural Gas Impinger II 120V, 1 Ph, 60 Hz, FastBake, R to L
1116-000-U-KF006-QS	Natural Gas Impinger II 120V, 1 Ph, 60 Hz, FastBake, L to R
1120-1	Portable Stainless Steel Stand with casters - Single or Double Stack ovens
1124-1	Low Stand with casters - Triple Stack ovens
1122	Counter mount stand - Single/double oven
1140	Take-off shelf - straight - 12 inch
1141	Take-off shelf - incline - 7° - 12 inch

ACCESSORIES



APERION

2424-SUH-QS	Aperion 2424 Electric oven, 208/240V, 3 Ph, 60 Hz, glass access window
2424-SUV-QS	Aperion 2424 Electric Ventless oven, 208/240V, 3 Ph, 60 Hz, glass access window
2424-GUN-QS	Aperion 2424 Natural Gas, 120V, 1 Ph, 60 Hz oven, glass access window
L4612502	Countertop kit - 4" legs
L4612503	Floor kit - 14" legs with casters
L4612504	Triple stack kit with casters
L2406	6 inch entry shelf
L2407	6 inch exit shelf
L2412	12 inch entry shelf
L2413	12 inch exit shelf

ACCESSORIES

Lincoln®

1200 Airport North, Office Park,
Suite A&B, Fort Wayne, IN 46825
Tel: 1-888-417-5462
Email: info@lincolnfp.com
www.lincolnfp.com

SUBMIT ORDERS TO LINCOLN CUSTOMER SERVICE:



LCNCustServ@lincolnfp.com

Please reference *QuickShip* on your Purchase Order.

