## Lincoln





Get faster shipping on the most popular models of Lincoln Conveyor ovens.





The Lincoln QuickShip Program offers quick shipment on several popular Lincoln oven models allowing you to satisfy your customer's urgent equipment requirements.



#### **Program Details**

- Orders received by noon E.S.T. ship the next business day or sooner.
- ▶ Order must be marked as "QuickShip" program and no clarification is required.
- ▶ Program is available for orders of 1-3 ovens. For larger orders, contact Lincoln Customer Service for delivery date.
- Account must be in good credit standing and any orders that require buying group credit approval may be delayed for credit approval.
- ▶ Only the models listed are in the Quick Ship program.
- ▶ 2025 QuickShip program ends 12/31/25.
- ▶ Please refer to the current price list for pricing. Freight is FOB Shreveport, LA. Free Freight on minimum order of \$15,000.
- ▶ Program available for the contiguous states only (excludes Alaska and Hawaii and all off-shore United States territories and possessions, which include American Samoa, Guam, the Northern Mariana Islands, Puerto Rico, and the U.S. Virgin Islands).





# DCTI

MODEL	DESCRIPTION
V2500/1353-QS	Dual Voltage DCTI Ventless standard oven, 208V/240V, 1ph, 60Hz w/1353 short conveyor
V2500/1346-QS	Dual Voltage DCTI Ventless standard oven, 208V/240V, 1ph, 60Hz w/1346 extended conveyor
1341 1342 1343 1344 1345	Exit shelf - 12 inch Exit shelf - 4 inch Entry incline shelf - 12 inch Entry incline shelf - 4 inch Conveyor end stop

Wall receptacle - NEMA 6-50R

#### **IMPINGER II**

1950



1132-000-U-KF005-QS	Electric Impinger II 208V, 3 Ph, 60 Hz, FastBake oven, R to L
1132-000-V-KF005-QS	Electric Ventless Impinger II 208V, 3 Ph, 60 Hz, FastBake, R to L
1132-000-U-KF006-QS	Electric Impinger II 208V, 3 Ph, 60 Hz, FastBake, L to R
1132-000-V-KF006-QS	Electric Ventless Impinger II 208V, 3 Ph, 60 Hz, FastBake, L to R
1116-000-U-KF005-QS	Natural Gas Impinger II 120V, 1 Ph, 60 Hz, FastBake, R to L
1116-000-U-KF006-QS	Natural Gas Impinger II 120V, 1 Ph, 60 Hz, FastBake, L to R
1120-1 1124-1 1122 1140 1141	Portable Stainless Steel Stand with casters - Single or Double Stack ovens Low Stand with casters - Triple Stack ovens Counter mount stand - Single/double oven Take-off shelf - straight - 12 inch Take-off shelf - incline - 7° - 12 inch

#### **APERION**



2424-SUH-QS	Aperion 2424 Electric oven, 208/240V, 3 Ph, 60 Hz, glass access window
2424-SUV-QS	Aperion 2424 Electric Ventless oven, 208/240V, 3 Ph, 60 Hz, glass access window
2424-GUN-QS	Aperion 2424 Natural Gas, 120V, 1 Ph, 60 Hz oven, glass access window
L4612502 L4612503 L4612504 L2406 L2407	Countertop kit - 4" legs Floor kit - 14" legs with casters Triple stack kit with casters 6 inch entry shelf 6 inch exit shelf
L2412	12 inch entry shelf

### Lincoln

1200 Airport North, Office Park, Suite A&B, Fort Wayne, IN 46825 Tel: 1-888-417-5462 Email: info@lincoInfp.com

www.lincolnfp.com

#### SUBMIT ORDERS TO LINCOLN CUSTOMER SERVICE:

12 inch exit shelf



L2413

LCNCustServ@lincolnfp.com

Please reference **JuickShip** on your Purchase Order.

