



Your Solutions Partner

DUKE

Work Tables



Our Work Tables

Duke has the **most complete line of worktables and accessories in the Foodservice industry** and offers products at every price point. This means more value for you!



STANDARD FEATURES

- Bull nose front and rear, for additional strength
 - Square sides
 - Stainless or galvanized steel legs for easy adjustment/leveling of stainless or galvanized steel undershelf *
 - Reinforced undershelf castings
- * Stainless steel legs not available for economy work tables


OPTIONS

SUPREME	314 Series	300 SERIES STAINLESS STEEL TOPS	14 GAUGE
DELUXE	316 Series	300 SERIES STAINLESS STEEL TOPS	16 GAUGE
STANDARD	416 Series	400 SERIES STAINLESS STEEL TOPS	16 GAUGE
ECONOMY	418 Series	400 SERIES STAINLESS STEEL TOPS	18 GAUGE



Understanding Duke's Work Table Model Numbers

T 3 1 4 S - 2 4 4 8 - 5 R



* **Table risers** are available in:

2R = 1 1/8" riser, straight, turn-up

5R = 4 19/32" riser, with 1" at 90° return

10R = 9 1/2" riser, with 1 1/2" at 45° return, 14 gauge standard, with marine edge

NOTE

All work tables longer than 8' will be skidded and all work tables with risers over 6" will be crated.



Flat Top

H 36.0 in 91.4 cm L 46.0 in 116.8 cm W 32.0 in 81.3 cm

Cubed ft. Crated 47.7 | Crated Ship Weight 327lbs / 148.6kg



Length		Supreme			Deluxe			Standard			Economy	
in	cm	24" W	30" W	36" W	24" W	30" W	36" W	24" W	30" W	36" W	24" W	30" W
24	61.0	314-2424	314-3024	N/A	316-2424	316-3024	N/A	416-2424	416-3024	n/a	418-2424	418-3024
30	76.8	314-2430	314-3030	N/A	316-2430	316-3030	N/A	416-2430	416-3030	n/a	418-2430	418-3030
36	91.4	314-2436	314-3036	314-3636	316-2436	316-3036	316-3636	416-2436	416-3036	416-3636	418-2436	418-3036
48	122.9	314-2448	314-3048	314-3648	316-2448	316-3048	316-3648	416-2448	416-3048	416-3648	418-2448	418-3048
60	152.4	314-2460	314-3060	314-3660	316-2460	316-3060	316-3660	416-2460	416-3060	416-3660	418-2460	418-3060
72	182.9	314-2472	314-3072	314-3672	316-2472	316-3072	316-3672	416-2472	416-3072	416-3672	418-2472	418-3072
84	213.4	314-2484	314-3084	314-3684	316-2484	316-3084	316-3684	416-2484	416-3084	416-3684	N/A	N/A
96	243.8	314-2496	314-3096	314-3696	316-2496	316-3096	316-3696	416-2496	416-3096	416-3696	418-2496	418-3096
108	274.3	314-24108	314-30108	314-36108	316-24108	316-30108	316-36108	416-24108	416-30108	416-36108	N/A	N/A
120	304.8	314-24120	314-30120	314-36120	316-24120	316-30120	316-36120	416-24120	416-30120	416-36120	N/A	N/A
132	335.3	314-24132	314-30132	314-36132	316-24132	316-30132	316-36132	416-24132	416-30132	416-36132	N/A	N/A
144	365.8	314-24144	314-30144	314-36144	316-24144	316-30144	316-36144	416-24144	416-30144	416-36144	N/A	N/A

1 1/8" Straight Riser

H 36.0 in 91.4 cm L 46.0 in 116.8 cm W 32.0 in 81.3 cm

Cubed ft. Crated 47.7 | Crated Ship Weight 327lbs / 148.6kg



Length		Supreme			Deluxe			Standard			Economy	
in	cm	24" W	30" W	36" W	24" W	30" W	36" W	24" W	30" W	36" W	24" W	30" W
24	61.0	314-2424-2R	314-3024-2R	N/A	316-2424-2R	316-3024-2R	N/A	416-2424-2R	416-3024-2R	n/a	418-2424-2R	418-3024-2R
30	76.8	314-2430-2R	314-3030-2R	N/A	316-2430-2R	316-3030-2R	N/A	416-2430-2R	416-3030-2R	n/a	418-2430-2R	418-3030-2R
36	91.4	314-2436-2R	314-3036-2R	314-3636-2R	316-2436-2R	316-3036-2R	316-3636-2R	416-2436-2R	416-3036-2R	416-3636-2R	418-2436-2R	418-3036-2R
48	122.9	314-2448-2R	314-3048-2R	314-3648-2R	316-2448-2R	316-3048-2R	316-3648-2R	416-2448-2R	416-3048-2R	416-3648-2R	418-2448-2R	418-3048-2R
60	152.4	314-2460-2R	314-3060-2R	314-3660-2R	316-2460-2R	316-3060-2R	316-3660-2R	416-2460-2R	416-3060-2R	416-3660-2R	418-2460-2R	418-3060-2R
72	182.9	314-2472-2R	314-3072-2R	314-3672-2R	316-2472-2R	316-3072-2R	316-3672-2R	416-2472-2R	416-3072-2R	416-3672-2R	418-2472-2R	418-3072-2R
84	213.4	314-2484-2R	314-3084-2R	314-3684-2R	316-2484-2R	316-3084-2R	316-3684-2R	416-2484-2R	416-3084-2R	416-3684-2R	N/A	N/A
96	243.8	314-2496-2R	314-3096-2R	314-3696-2R	316-2496-2R	316-3096-2R	316-3696-2R	416-2496-2R	416-3096-2R	416-3696-2R	418-2496-2R	418-3096-2R
108	274.3	314-24108-2R	314-30108-2R	314-36108-2R	316-24108-2R	316-30108-2R	316-36108-2R	416-24108-2R	416-30108-2R	416-36108-2R	N/A	N/A
120	304.8	314-24120-2R	314-30120-2R	314-36120-2R	316-24120-2R	316-30120-2R	316-36120-2R	416-24120-2R	416-30120-2R	416-36120-2R	N/A	N/A
132	335.3	314-24132-2R	314-30132-2R	314-36132-2R	316-24132-2R	316-30132-2R	316-36132-2R	416-24132-2R	416-30132-2R	416-36132-2R	N/A	N/A
144	365.8	314-24144-2R	314-30144-2R	314-36144-2R	316-24144-2R	316-30144-2R	316-36144-2R	416-24144-2R	416-30144-2R	416-36144-2R	N/A	N/A

4.59" Riser with 1" at 90° Return

H 36.0 in 91.4 cm L 46.00 in 116.8 cm W 32.00 in 81.3 cm

Cubed ft. Crated 22.0 | Crated Ship Weight 200lbs / 90.9kg



Length		Supreme			Deluxe			Standard		
in	cm	24" W	30" W	36" W	24" W	30" W	36" W	24" W	30" W	36" W
24	61.0	314-2424-5R	314-3024-5R	N/A	316-2424-5R	316-3024-5R	N/A	416-2424-5R	416-3024-5R	N/A
30	76.8	314-2430-5R	314-3030-5R	N/A	316-2430-5R	316-3030-5R	N/A	416-2430-5R	416-3030-5R	N/A
36	91.4	314-2436-5R	314-3036-5R	314-3636-5R	316-2436-5R	316-3036-5R	316-3636-5R	416-2436-5R	416-3036-5R	416-3636-5R
48	122.9	314-2448-5R	314-3048-5R	314-3648-5R	316-2448-5R	316-3048-5R	316-3648-5R	416-2448-5R	416-3048-5R	416-3648-5R
60	152.4	314-2460-5R	314-3060-5R	314-3660-5R	316-2460-5R	316-3060-5R	316-3660-5R	416-2460-5R	416-3060-5R	416-3660-5R
72	182.9	314-2472-5R	314-3072-5R	314-3672-5R	316-2472-5R	316-3072-5R	316-3672-5R	416-2472-5R	416-3072-5R	416-3672-5R
84	213.4	314-2484-5R	314-3084-5R	314-3684-5R	316-2484-5R	316-3084-5R	316-3684-5R	416-2484-5R	416-3084-5R	416-3684-5R
96	243.8	314-2496-5R	314-3096-5R	314-3696-5R	316-2496-5R	316-3096-5R	316-3696-5R	416-2496-5R	416-3096-5R	416-3696-5R
108	274.3	314-24108-5R	314-30108-5R	314-36108-5R	316-24108-5R	316-30108-5R	316-36108-5R	416-24108-5R	416-30108-5R	416-36108-5R
120	304.8	314-24120-5R	314-30120-5R	314-36120-5R	316-24120-5R	316-30120-5R	316-36120-5R	416-24120-5R	416-30120-5R	416-36120-5R
132	335.3	314-24132-5R	314-30132-5R	314-36132-5R	316-24132-5R	316-30132-5R	316-36132-5R	416-24132-5R	416-30132-5R	416-36132-5R
144	365.8	314-24144-5R	314-30144-5R	314-36144-5R	316-24144-5R	316-30144-5R	316-36144-5R	416-24144-5R	416-30144-5R	416-36144-5R

9.5" Riser with 1 ½" at 45° Riser

H 36.0 in 91.4 cm L 25 7⁄8 in 59.9 cm W 19 7⁄8 in 50.6 cm

Cubed ft. Crated 39.8 | Crated Ship Weight 220lbs / 100kg



Length		Supreme		
in	cm	24" W	30" W	36" W
24	61.0	314-2424-10R	314-3024-10R	n/a
30	76.8	314-2430-10R	314-3030-10R	n/a
36	91.4	314-2436-10R	314-3036-10R	314-3636-10R
48	122.9	314-2448-10R	314-3048-10R	314-3648-10R
60	152.4	314-2460-10R	314-3060-10R	314-3660-10R
72	182.9	314-2472-10R	314-3072-10R	314-3672-10R
84	213.4	314-2484-10R	314-3084-10R	314-3684-10R
96	243.8	314-2496-10R	314-3096-10R	314-3696-10R
108	274.3	314-24108-10R	314-30108-10R	314-36108-10R
120	304.8	314-24120-10R	314-30120-10R	314-36120-10R
132	335.3	314-24132-10R	314-30132-10R	314-36132-10R
144	365.8	314-24144-10R	314-30144-10R	314-36144-10R

Mixer Stands

H 36.0 in 91.40 cm L 32.0 in 81.3 cm W 32.0 in 81.3 cm

Cubed ft. Crated 34.8 | Crated Ship Weight 245lbs / 111.4kg



Model	Description	Length		Width		Height		Weight		Cube ft. Crated
		in	cm	in	cm	in	cm	in	cm	
491A-2424	S/S Top; Galv. Undershelf & Legs	24	61.0	24	61.0	29	73.7	43	19.6	12.2
492A-3024	S/S Top; Galv. Undershelf & Legs	30	76.2	24	61.0	29	73.7	50	22.7	15.0
493A-3030	S/S Top; Galv. Undershelf & Legs	30	76.2	30	76.2	29	73.7	56	25.5	18.4
591A-2424	S/S Top; S/S Undershelf & Legs	24	61.0	24	61.0	29	73.7	38	17.3	12.2
592A-3024	S/S Top; S/S Undershelf & Legs	30	76.2	24	61.0	29	73.7	47	21.4	15.0
593A-3030	S/S Top; S/S Undershelf & Legs	30	76.2	30	76.2	29	73.7	53	24.4	18.4

Accessories

Overhead Shelf



Tier of Drawers




Standard Drawer



Deluxe Drawer



Customization



1	Welded Base		I.D. #
	Undershelf or crossrails (stainless steel shelves & tubular bases only) - Use basic table price and:		
	For 4 legged table - includes crating	ADD	TABMOD-1
	For 6 legged table - includes crating	ADD	TABMOD-1A
2	"V" Edge		
	("Marine edge", "water retention edge")	PER EDGE	ADD
			TABMOD-2
3	Cutouts in Table Top		
	Round with raw edge - EACH	ADD	TABMOD-3A
	Rectangular, not over 12" (30.5 cm) on either side, with raw edge	EACH	ADD
	Rectangular, not over 12" (30.5 cm) on either side, with edges flanged down, with open corners.	EACH	ADD
			TABMOD-3B
			TABMOD-3C
4	"L" Shaped Table		
	Price as two (2) tables using outside lengths	ADD	TABMOD-4
	NOTE: Where bottom shelves are required, there will be a butt joint. 7'0" (213.4 cm), on either dimension, unless field jointed.		
5	Bolted Field Joint		
	Each	ADD	TABMOD-5

STAINLESS STEEL RISERS

	NOTE: Figure actual length of riser, i.e., the length of ends, if wanted [(4' (121.9 cm) minimum). Fractions of a foot to be rounded to next highest foot.		
6	Deluxe, with 1 1/2" (3.8 cm) 45° return with closed ends		
	4 to 6 in (10.2 to 15.2 cm) high overall	PER LINEAL FOOT	ADD
			TABMOD-6A
	7 to 10" (17.8 to 25.4 cm) high overall	PER LINEAL FOOT	ADD
			TABMOD-6B
7	Straight, with 1" (2.54 cm) at 90° turn back		
	4 to 6" high (10.2 - 15.2 cm)	PER LINEAL FOOT	ADD
			TABMOD-7A
8	Straight, with 1" (2.54 cm) at 90° turn back		
	7 to 8" high (17.8 - 20.3 cm)	PER LINEAL FOOT	ADD
			TABMOD-7B
9	Standard, straight - no return		
	2 to 3" high (5.1 to 7.6 cm)	PER LINEAL FOOT	ADD
			TABMOD-8A
	4 to 6" high (10.2 to 15.2 cm)	PER LINEAL FOOT	ADD
			TABMOD-8B
	7 to 8" high (17.8 to 20.3 cm)	PER LINEAL FOOT	ADD
			TABMOD-8C
	Rear riser - partial length of table	Use Riser price and	ADD
			TABMOD-9A
	Rear riser - Partial length not at end of table	Use Riser Price and	ADD
			TABMOD-9B
	NOTE: Only deluxe riser available with electrical cutouts.		

SINKS - Available on supreme and deluxe only

10	Sinks (Includes Crumb-Cup Drain) Advise Location of Sink.		
Model	Description		
180SP	20" x 20" x 7" (50.8 x 50.8 x 17.8 cm) - SHIP WEIGHT: 19 lbs. (8.6 kg)		
181SP	20" x 20" x 14" (50.8 x 50.8 x 35.6 cm) - SHIP WEIGHT: 31 lbs. (14.1 kg)		
182SP	18" x 18" x 11 ½" (45.7 x 45.7 x 29.2 cm) - SHIP WEIGHT: 23 lbs. (10.5 kg)		
184SP	14" x 16" x 8 ½" (35.6 x 40.6 x 21.6 cm) - SHIP WEIGHT: 15 lbs. (6.8 kg)		
11	Sink Options		Model
	Deck faucets, 6" spout (4" centers. #K11-4006)	ADD	TABMOD-10A
	Splash mounted faucet, 6" spout (8" centers, #K13-8006)	ADD	TABMOD-10A1
	Twist handle drains, 2" NPS (3 ½" opening, #K50-7200)	ADD	TABMOD-10B1
	Twist handle drains with overflow connected, 2" NPS drain, 1 ¼" overflow	ADD	TABMOD-10B2
	Welded disposer collar in sink bowl	ADD	TABMOD-10C
12	Vacuum Breaker Holes & S/S Switch Brackets		
	Vacuum breaker holes & stainless steel switch bracket	ADD	TABMOD-11
13	Drip Trough		
	Up to 72" (182.9 cm) long, 1" brass drain and stainless steel removable grille	ADD	TUS-DT
14	Partial Tubular Base, with balance undershelf		
	Each	ADD	TABMOD-13

DRAWERS

15	DRAWERS		
Model	Description		
185 - Standard*	S/S drawer with S/S face plate - 15" x 20" x 5" (38.1 x 50.8 x 12.7 cm)		
186 - Standard *	Galv. drawer with S/S face plate - 15" x 20" x 5" (38.1 x 50.8 x 12.7 cm)		
176 - Deluxe*	S/S front, galv. liner - 15" x 20" x 5" (38.1 x 50.8 x 12.7 cm)		
177 - Deluxe*	S/S front, S/S liner - 15" x 20" x 5" (38.1 x 50.8 x 12.7 cm)		
178 - Supreme	Stainless steel drawer - stainless steel face plate - 20" x 20" x 5" D liner - without cylinder lock		
178-LK - Supreme	Stainless steel drawer - stainless steel face plate - 20" x 20" x 5" D liner - with cylinder lock		
	* For lock and keys add "LK" to drawer model number		



Drawers Only

ELECTRICAL

16	Rectangular Cutout in Riser for Customer Supplied Unit	ID#
	Each	ADD
	Duplex Outlet Bracket welded below top with rectangular cutout for customer supplied outlet	EACH
		ADD
	Stainless steel pedestal-type box with cover for customer supplied outlet	EACH
		ADD

LEGS, FEET & CASTERS MODIFICATIONS

17	Stainless Steel Legs & Feet	Model
	Stainless steel feet only	ADD
		SS-FEET
	Special height legs	ADD
		SP-HT -LEGS
	Castors - 5" (12.7 cm) diameter, swivel type	ADD
		CAWT
	Flanged feet	ADD
		FFSP

NOTE: Tables with 4 casters will have 2 with brakes. Tables with 6 casters will have 3 with brakes. Tables 96" (243.8 cm) and longer require 6 casters.

SUPREME, DELUXE AND STANDARD

Options	Model
Odd length tables - up to 144" (365.8 cm) to next larger size	TABMOD-18
Odd width tables - up to 36" (91.4 cm) to next larger size	TABMOD-19
Odd width tables - 36" to 44" (91.4 - 111.8 cm) maximum - Double price of 24" (61.0 cm) width	TABMOD-20



Your Solutions Partner

www.dukemfg.com

**DUKE CORPORATE
UNITED STATES, CANADA**

2305 N. Broadway
St. Louis, MO 63102

TOLL FREE: 800.735.3853
PHONE: 314.231.1130

customercare@dukemfg.com

CounterCraft Office

7007 Stearns Street
Houston, Texas 77021

PHONE: 713.747.3611

countercraftinc.com

**EUROPE, MIDDLE EAST,
AFRICA, RUSSIA**

Duke Manufacturing C.R. s.r.o
Logistický areál D 11, Hala DC06
Nehvizdy 1100
PSČ 250 81
Czech Republic

PHONE: (+420) 323.608.193

sales.emea@dukemfg.com

ASIA

No. 3 Building,
Lane 28, Yu Lv Road,
Malu Town, Jiading District
Shanghai 201801, China

PHONE:
+86.21.59153525/59153526

service.asiapac@dukemfg.com